Government of India
Ministry of Culture
National Monuments Authority
24, Tilak Marg, New Delhi

MINUTES OF THE 306th MEETING OF NMA

Venue – Conference room of NMA
Date & Time – 09th June, 2021 at 11:00 am

******

The meeting was attended by the following:

1. Shri Tarun Vijay, Chairman, NMA.
2. Prof. (Dr.) Ashvini Agarwal, Whole Time Member, NMA through video conference.
3. Prof. Vinay Kumar Rao, Part Time Member, NMA.
4. Shri Bhaskar Verma, Member Secretary, NMA.

306 9 Jun 21

Agenda No. 1

The minutes of 305th meeting were confirmed.

Agenda No. 2

Online Cases

Maharashtra case no. 09

(Yuvraj Namdev Kadam & Others, 06, Shivanjali Apartment, Near Jalmandir, Laxmingara, Phaltan, Dis. Satara, Maharashtra - 415523.)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised plan with the total height restricted to 16.40 mtrs (inclusive all) as the maximum height given by Authority near the monument is 16.40 mtrs (inclusive all).

Maharashtra case no. 10

(Vishnu Shrihari Raipurkar, Others, Somawari Ward Pauni, Maharashtra .)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 08.60 mtr (including mumty, parapet, water storage tank etc) at 2512/4, pauni, Bhandara, Maharashtra; with floor area of GF=FF=120.31sqm.

Public Project Case

Case no. 01

(The Deputy Chief Engineer, Trans Grid North, KSEB Ltd, Vaidhyuthi Bhavanam, Kallipadam. P.O.,Shornur, Palakkad-22, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Up gradation of existing 66 KV single circuit transmission line to 220/110 multi circuit multi voltage transmission line- Reconstruction of transmission line towers at location 18 & 19 and the reconstruction of compound wall at loc.19. with the total height of Height of electrical transmission line tower at Loc.18 - 56.50 mtr (including all), Height of electrical transmission line tower at Loc.19 – 60.80 mtr (including all) and Height of Compound wall= 1.69 mtr. (including all) at Loc No. 18 (18th number tower of Wadakkanchery-Kunnamkulam 220/110 KV transmission line) and Loc No. 19 (19th number tower of Wadakkanchery-Kunnakkulam 220/110 Kv transmission line).

Deferred Cases

Case no. 01

(Mr. Vargheese, Nangini House, Avittathur. P.O., Thrissur-680683, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.45 mtr (including mumty, parapet, water storage tank etc.) at Sy. No. 623/3-57, Village Kaduppassery, Panchayath Velukkara, Taluk Mukunthapuram, Thrissur District; with Built up area of GF =127.62 sqm and FF =89.86 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

306 9 Jun 21

Case no. 02

(Smt. Manasi Parida, Plot no. 3424/5158, Jharana Sahi Po-Badagada Brit Colony Ps-Badagada, Bhubaneswar-751014, Odisha)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Additional construction in GF and construction of FF over existing GF with the total height of 06.86 mtr (including mumty, parapet, water storage tank etc.) at Plot no. 2405, Khata no. 1240 House no. EB-574, Mouza-Badagada, Unit-342 Bhubaneswar, Khurda, Odisha.; with floor area of Proposed GF =35.98 sqm and FF =56.05 sqm.

Case no. 03

(Shri Vijay Kumar Jaiswal and Smt. Rani Jaiswal, Vill. Katra, Pargna & Tahsil. Ikauna, Distt. Sravasti-271845, Uttar Pradesh)

After perusal of the application, it was decided to Reject the case, as the applicant has not complied with the decision of the Authority taken in the 290th meeting held on 3rd

December 2020 in view of the importance of the nearby Buddhist site of Sahet-Mahet. The Authority observed that the location of construction site 04 meter below the road was not a relevant factor.

Case no. 04

(Smt. Zubaida Khatun W/o Mohammad Rais, Village-Birdpur No.1, Tola Bihra, KSADA, Tahsil Naugarh, Distt. Siddharth Nagar-272202, Uttar Pradesh)

After perusal of the application, The Authority has taken a policy decision to protect the monuments of lord Budha. It has been decided to restrict the height to 7.50 mtr (inclusive all). Hence, it was decided to **defer** the case and ask the applicant to submit the revised plan with the total height restricted to 07.50 mtrs (inclusive all).

Reconsider Case

Case no. 01

(Smt. Sudha Jindal yoges kumar jindal, Gopi Kripa Kunj Ramnagar road kashipur Distt, Uddham singh Nagar Uttrakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Construction of Basement+GF+2 floors with the total height of 09.00 mtrs (including mumty, parapet, water storage tank etc.) at Plot No.1, 2, 3 Kashipur Khasra No.282 Min Jaspur Khurd Kashipur; with floor area of Basement= 307.08 sqm with depth 3 mtrs, GF= 290.20 sqm, FF= 283.48 sqm and SF= 283.48 sqm.

306 9 Jun 21

Case no. 02

(Smt. Sudha Jindal yoges kumar jindal, Gopi Kripa Kunj Ramnagar road kashipur Distt, Uddham singh Nagar Uttrakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Construction of Basement+GF+2 floors with the total height of 09.00 mtrs (including mumty, parapet, water storage tank etc.) at Plot No.4, 5, 6 Kashipur Khasra No.282 Min Jaspur Khurd Kashipur; with floor area of Basement= 307.08 sqm with depth 3 mtrs, GF= 290.20 sqm, FF= 283.48 sqm and SF= 283.48 sqm.

Case no. 03

(Mr. V.J. Vinoy & Roji, Valiyaveettil House, Chiralayam, Kunnamkulam. P.O., Thrissur – 680503, Kerala)

After perusal of the application and representation received from CA, it was decided to **recommend** grant of NOC in this case for Construction of Ground floor with the total height of 04.15 mtrs (including mumty, parapet, water storage tank etc.) at Ward No X, Survey No. 97/23, Village Chowanoor, Municipality Kunnamkulam, Taluk Kunnamkulam, District Thrissur.; with Plinth area of GF=56.39 sqm. The construction

work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Fresh Cases

Case no. 01

(Bholanath Agarwal (on behalf of the owner M/S Subholaxmi Fabrics Pvt. Ltd, 4D, Rajeswari Apartment, B.S Road, Near Minakumari chowpathi, Post & Dist-Coochbehar. Pin -736101)

After perusal of the application, it was decided to **Reject** the case as the matter is sub judice under circuit bench of High Court at Jalpaiguri.

Case no. 02

(Shri Jamnadas Gopaldas & Issuar Gopar, 8/87, Mora Falia, Nani Daman)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+3 floors with the total height of 15.60 mtr (including mumty, parapet, water storage tank etc.) at PTS NO. 48/64, Mora Falia, Nani Daman; with Built up area of GF=19.09 sqm and FF=SF=TF=50.24 sqm

Case no. 03

(Shri S. Gunashekaran & Shri K. Mohan (GPA), K.G. Sagar Apartment, block II, F.F.G. 31D, 4th Seaward Road, Valmikinagar, Thiruvanmiyur, Chennai-600 041, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+2 floors with headroom and overhead water tank with the total height of 12.57 mtr (including mumty, parapet, water storage tank etc.) with following floor area:-

Area statement	F.S.I. Area	Non-F.S.I. Area
Stilt floor	---	490.33 sqm
First floor	490.33 sqm	---
Second floor	490.33 sqm	---

at 8/301, Pada Salai Bharathi Nagr, S. N. 337, as per Patta S. No. 337/10, Perumbakkam Village, Tambaram Taluk, Kanchipuram District. The color scheme of the monument should be kept in view while constructing the building.

Case no. 04

(Shri K. Sundaravinayagam, Flot No. E, 1st Floor, Plot No. 1127, TBHB, Near Rolex Hotel, Avadi, Chennai- 600 054, Tamilnadu)

306 9 Jun 21

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with headroom with the total height of 9.52 mtr (including mumty, parapet, water storage tank etc.) & construction height of compound wall = 1.52 mtr with following floor area:-

Area Statement	F.S.I. Area	Non F.S.I. Area
Ground floor	144.42 sqm	---
First floor	23.33 sqm	---
Headroom	---	18.40 sqm

at Plot No. 16, Navaneedham nagar 6th Street, Bagiyam Nagar as per patta S. No. 77/1, & 78/2, Patta No. 1673, of Sembakkam Village, Tambaram Taluk, Sembakkam Municipality Limit, chengalpet District. The color scheme of the monument should be kept in view while constructing the building.

Case no. 05

(Shri M. Thavasu & Azhagammal, D. No. 15, Subaniayapuram, Woraiyur, Trichy- 620 003, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Stilt +2 floors with headroom with the total height of 9.90 mtr (including mumty, parapet, water storage tank etc.) at Old Door No. 6, New Door No. 14, New T.S. No. 7&12/A, Ward –F(A), block No. 27, at College road, west bouleward road, Vanapattarai Street, Srirangam Zone, Trichy city Corporation; with floor area Stilt floor=GF=FF= 57.48 sqm, Headroom = 12.60 sqm. The color scheme of the monument should be kept in view while constructing the building.

3069 Jun 21

Case no. 06

(Shri M. Elangovan, Door No. 23/10, Venkatachala Mudali Street, Purasaiwalkam, Vepery, Chennai- 600 007, Tamilnadu)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised plan with the total height restricted to 14.52 mtrs (inclusive all) as the maximum height given by Authority near the monument is 14.52 mtrs (inclusive all).

Case no. 07

(Shri R. Ramakrishnan, D. No. 50, Chinna Kadai Street, Trichy- 620 002, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of G+2 floors with the total height of 11.01 mtr (including mumty, parapet, water storage tank etc.) at Door No. 3, Old D. No. 47, TS No. 158, Old TS No. 279, Ward No. P (G), Old Ward No. 6, Block No. 2, Chinna Kadai Street,

Srirangam Zone, Trichy City Corporation; with floor area GF=FF=SF= 51.22 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 08

(Shri T. V. Durairajan , D .No .10, Pallivasal Street, Thiruverumbur Taluk, Tiruchirappalli- 620 013, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+ 2 floors with headroom with the total height of 10.36 mtr (including mumty, parapet, water storage tank etc.) with following floor area:-

Area Statement	F.S.I area	Non-F.S.I. area
Stilt floor	---	305. 69 sqm
Ground floor	305. 69 sqm	---
First floor	305. 69 sqm	---
Second floor	305. 69 sqm	---
Headroom	---	13.62 sqm

at S.F. No. 54/8B, D Nagar, Thiiruverumbur Village, Ponmalai Zone, Tiruchirappalii City Corpoation. The color scheme of the monument should be kept in view while constructing the building.

3069 Jun 21

Case no. 09

(Shri T. Ramaprabhu S/o Thangadurai, D. no. 30C, Second Street, Abirami Nagar, Tirupporur Town Panchayat, via Post & Taluk, Kanchipuram, Tamilnadu- 603 110, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+2 floors with over head tank with the total height of 11.13 mtr (including mumty, parapet, water storage tank etc.) at Plot No. 56, S. F. No. 97/40, Patta No. 501, Sri Balaji Nagar Ward No. 4, No. 25, Thirupporur Village & Town Panchayat Thirupporur Taluk, Kanchipuram District; with floor area Proposed Stilt floor = 133.80 sqm Proposed FF=SF= 106.30 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 10

(Shri K. Manikumar & Smt. Ponvalarmathi Devi, D. No. 4/783A, Bharathidasan street, 5th Cross North Kattur, Thiruverumbur, tiruchirappalli- 620 019, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+ 2 floors with the total height of 9.44 mtr (including mumty, parapet, water storage tank etc.) at Old S. F. No. 37 Part New S. F. No. 212/1 pt. 211/16 Pt, Sannathi Street, Thiruverumbur Village, Colden Rock zone,

Tiruchirappalli City Corporation; with floor area Stilt floor = FF=SF= 123.56 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 11

(Shri M.S. Gopinath & G. Sujatha, D. No. 4, Hospital Road, Kanchipuram- 631 502, Tamilnadu)

After perusal of the application, it was decided to **Defer** the case and ask the Competent Authority to recheck the distance of the Proposed site from the Monument and submit the report for an assurance on the applicability or otherwise of Prohibited area restrictions.

Case no. 12

(Smt. Gomathi W/o Thiyagarajan, D. No. 1/36, Periya Palaithamman Kovil Street, Thandalam Village, Chengalpattu District- 603 110, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.62 mtr (including mumty, parapet, water storage tank etc.) at S. F. No. 60/33, Patta No. 669, Vanigar Street, Ward No. 5, No. 105, Thirupporur Village & Town Panchayat, thirupporur Taluk, Chengalpattu District; with floor area GF=FF= 63.40 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 13

(Shri D. Rajadurai, D. No. 67, East Raja Street, Mamallapuram chengalpatu- 603 104, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 3.96 mtr (including mumty, parapet, water storage tank etc.) at S. No. 158/94, Kalpakkam Road, Opposite Sea Shell Miusem, Mamallapuram Town Panchayat, Thirukkalukundram Taluk, Chengalpattu District; with floor area GF= 111.24 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 14

(Shri A. Abdulrasheed S/o Shri A. Abdulwahab, No. 57, Rajan Road, Srinivasapuram, Thanjavur, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of G+1 floor with the total height of 7.78 mtr (including mumty, parapet, water storage tank etc.) at Ward No. 4, Block No. 66, Old T. S. No. 3019/2, New T.S. No. 20, Plot No. 57, Rajan Road, Srinivasapuram, at Thanjavur City Municipal Corporation Limit, Thanjavur Taluk; with floor area GF=FF= 72.03 sqm. The color scheme of the monument should be kept in view while constructing the building.

306 9 Jun 21

Case no. 15

(Shri S. Nithayanandam & Smt. C. N. Sumathi, D. No. 8/225, Pillayar Kovil street, Nookampalayam Perumbakkam, Sithalapakkam Post, Chennai- 600 130, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 floors with headroom with the total height of 10.74 mtr (including mumty, parapet, water storage tank etc.) & Construction height of compound wall = 1.52 mtr, With flowing floor area;-

Block A	Block B
Ground floor (commercial) = 206.04 sqm First floor (commercial) = 206.04 sqm Second floor (residential) = 147.30 Headroom = 9.38 sqm	Ground floor (residential) = 85.13 sqm First floor (residential) = 85.13 sqm Headroom = 9.38 sqm.

at Nookampalayam Main Road, old survey No. 369/1, As per Patta New Survey No. 396//1C1 (pt) Perumbakkam Village, & Panchayat, Tambaram Taluk, St. Thomas Mount Panchayat Union Limit, Chengalpattu District. The color scheme of the monument should be kept in view while constructing the building.

Case no. 16

(Shri J. Narayanan, D. No. 27, Kennady Street, Thandai Periyar Nagar, Taramani, Chennai- 600 113, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with headroom with the total height of 9.45 mtr (including mumty, parapet, water storage tank etc.) & Construction height of compound wall = 1.63 mtr, With flowing floor area;-

Area Statement	F.S.I. Area	Non F.S. I area
Ground floor	106.18 sqm	---
First floor	139.35 sqm	---
Staircase headroom area	---	12.63 sqm
Car parking	---	109.00 sqm

at S. No. 370, 2A/2B, No. 153, Perumbakkam Village, Tambaram Taluk, Kanchipuram District. The color scheme of the monument should be kept in view while constructing the building.

Case no. 17

(Shri G. Venkatesan, I Block S3 Door (Prakash Apartment) No. 75, Annai Sathya Nagar 4th Street, Nesapakkam , Chennai- 600 078, Tamilnadu)

906 9 Jun 21

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt +2 floors with headroom and over head tank with the total height of 12.94 mtr (including mumty, parapet, water storage tank etc.) at Old S .No. 878/208, part, New S. No. 1721/32B, Iyya Thandavaraya Street, Uthiramerur Town Panchayat & Taluk, Kanchipuram District; with floor area Stilt floor = 146. 00 sqm First floor = 174.00 sqm, Second floor = 174.00 sqm Headroom = 14.00 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 18

(Smt. K. Saraswathi & Shri E. Keerthinathan, D. No. 73A/5, Mettu Street, Kanchipuram-631 501, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.69 mtr (including mumty, parapet, water storage tank etc.) at T. S. No, 2235/2, 2236/4, 2237/6, In, Plot No. 17, Kailasanathar Koil Mettu Street Kailash Garden Ward No. 3, Block No. 46, Kanchipuram Town Taluk and District; with floor area Ground floor = 113.3 sqm, Compound wall = 57.9 Rm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 19

(Smt. K. Saraswathi, D. No. 73A/5, Mettu Street, Kanchipuram-631 501, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.54 mtr (including mumty, parapet, water storage tank etc.) at T. S. No, 2230/1, part, Plot No. 34, Kailasanathar Koil Mettu Street Kailash Garden Ward No. 3, Block No. 46, Kanchipuram Town Taluk and District; with floor area Proposed Ground floor = 40.90 sqm, Proposed First floor = 26.90 sqm, Compound wall = 19.6 Rm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 20

(Smt. K. Saraswathi, D. No. 73A/5, Mettu Street, Kanchipuram-631 501, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.54 mtr (including mumty, parapet, water storage tank etc.) at T. S. No, 2230/1, part, Plot No. 33, Kailasanathar Koil Mettu Street Kailash Garden Ward No. 3, Block No. 46, Kanchipuram Town Taluk and District; with floor area Proposed Ground floor = 40.90 sqm, Proposed First floor = 26.90 sqm, Compound wall = 19.4 Rm. The color scheme of the monument should be kept in view while constructing the building.

306 9 Jun 21

Case no. 21

(Smt. K. Saraswathi, D. No. 73A/5, Mettu Street, Kanchipuram-631 501, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.69 mtr (including mumty, parapet, water storage tank etc.) at T. S. No, 2237/1, 2238/3, Plot No. 02, Kailasanathar Koil Mettu Street Kailash Garden Ward No. 3, Block No. 46, Kanchipuram Town Taluk and District; with floor area Proposed Ground floor = 113.3 sqm, Compound wall = 57.9 Rm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 22

(Smt. G. Velselvi, D. No. 18/43, Kuzhil Kaliyamman Street, East Street, Srivilliputtur, Virudhunagar- 626 125, Tamilnadu)

After perusal of the application, it was decided to **Defer** the case and ask the Competent Authority / Superintending Archeologist, ASI to submit the present status report of the Proposed construction with clear color photograph.

Case no. 23

(Shri A. Radhakrishnan S/o Aathappan, D. No. 18, Pamban Swimigal Salai, Sithalapakkam, Chennai- 600 064, Tamilnadu)

After perusal of the application, it was decided to **Defer** the case and ask the Competent Authority / Superintending Archeologist, ASI to submit the present status report of the Proposed construction with clear color photograph.

Case no. 24

(Shri N. Duraisamy S/o U. D. Natarajan, D. No. 7, Panchangaiyar Street, Uthiramerur- 603 406, Tamilnadu)

After perusal of the application, it was decided to **Defer** the case and ask the Competent Authority to recheck the distance of the proposed site from the protected monument for an assurance on the applicability or otherwise of prohibited area restrictions. It was also decided to ask the Competent Authority / Superintending Archeologist, ASI to submit the present status report of the proposed construction with clear color photograph.

Case no. 25

(Smt. S. Susila, D. No. 34a, Manjapoo Street, srivilliputtur, Tamilnadu)

After perusal of the application, it was decided to **Defer** the case and ask the Competent Authority / Superintending Archeologist, ASI to submit the present status report of the Proposed construction with clear color photograph.

Case no. 26

306 9 Jun 21

(Shri J. Vivekanandhan, Plot No. 1, Flat No. F1, 1st floor, DJ Homes 1st street, Jothimangala Nagar, Sithalapakkam, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 floors with headroom and overhead water tank with the total height of 12.50 mtr (including mumty, parapet, water storage tank etc.) & construction height of compound wall= 1.67 mtr; at Plot No. 1B, (Northan Portion), Vijay Avenue, Sankarapuram, s. No. 35/1D, Patta No. 4716, Patta S. No. 35/1D1, Sithalapakkam Village Panchayat, Tambaram Taluk, Chengalpattu District; with floor area GF=FF=SF= 53.51 sqm, Headroom= 9.38 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 27

(Shri G. Raguraman, D. No. 100/76B Mallapuram Street Srivilliputtur, Tamilnadu)

After perusal of the application, it was decided to **Defer** the case and ask the Competent Authority / Superintending Archeologist, ASI to submit the present status report of the Proposed construction with clear color photograph.

Case no. 28

(Smt. V. Vasantha Veeraraghavan, Door No. 82, Union carbide Colony, 3rd Street, Old Pallavaram, Chennai- 600 117, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Stilt/G+2 floors with headroom and water tank with the total height of 12.53 mtr (including mumty, parapet, water storage tank etc.) With flowing floor area;-

Area Statement	F.S.I. Area	Non-F.S.I .Area
Stilt floor	---	83.82 sqm
First floor	154.00 sqm	---
Second floor	154.00 sqm	---
Headroom & Staircase	---	41.63 sqm

at Plot no. 81, Carbide colony, old S. No. 36/7 & 10 Part T. S. No. 40, Block No, 50, Ward No. B, Zamin Pallavaram Village, Pallavaram Taluk, Pallavaram Municipality Limit, Chengalpattu District. The color scheme of the monument should be kept in view while constructing the building.

Case no. 29

(Smt. C. Hemamalini, D. No. 125, Bangaru Nagar, 1st Street, old Pallavaram, Chennai- 600 117, Tamilnadu)

After perusal of the application, it was decided to **Defer** the case and ask the Competent Authority to recheck the distance of the Proposed site from the Monument

3069 Jun 21

and submit the report for an assurance on the applicability or otherwise of Prohibited area restrictions.

Case no. 30

(Smt. S. Padmavathi W/o Shri S. Saravanan, D. No. 769/2, Keezharajaveedhi, Nagammra Lane, Kondirajapalayam, Thanjavur- 613 002, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of G+1 floor with the total height of 7.83 mtr (including mumty, parapet, water storage tank etc.) & Construction height of compound wall= 1.52 mtr; at Ward No. 3, Block No. 16, T.S. No. 789 & 790, Door No. 789, 790, Kondirajapalayam, Thanjavur City Municipal Corporation Limit, Thanjavur City; with floor area GF=FF= 108.19 sqm, Car parking= 53.14 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 31

(Shri V. Santhakumar, D. No. 17A, Kavery Park West Chinthamani, Tiruchirapalli, Teppakulam- 620 002, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of G+1 floor with the total height of 7.85 mtr (including mumty, parapet, water storage tank etc.) at New T.S. No. 225, Block No. 32, Ward No. F. Door No. 25, Yanaikatti Mettu Street, Malakottai East Street Srirangam Zone, Tiruchirappalli City Corporation; with floor area GF=FF= 72.88 sqm. The color scheme of the monument should be kept in view while constructing the building.

306 9 Jun 21

Case no. 32

(Shri Rajesh Natarajan, D. No. 36, VGP Pon Nagar, 2nd Street, Sembakkam, Chennai- 600 073, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with overhead tank with the total height of 9.75 mtr (including mumty, parapet, water storage tank etc.) & construction height of compound wall = 1.52 mtr; at Plot No. B8, Nithyasri Gardens, Sembakkam, Chennai S. No. 81/3A2, Sembakkam Village, Tambaram Taluk, Sembakkam Municipality Limit, Kanchipuram District; with floor area GF= 66.10 sqm, FF= 74.75 sqm. The color scheme of the monument should be kept in view while constructing the building

Case no. 33

(Shri K. Narendran, Flat No. B114, RSK orchid garden, MGR Street, Navalur, OMR road (Rajiv Gandhi Salai), Chennai- 600 130, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction of G+1 floor with headroom with the total height of 9.45 mtr (including mumty, parapet, water storage tank etc.) & construction height of

compound wall = 1.22 mtr; at Plot No. 8, Kalaivani street Madipakkam part 2, Patta S. No. 279/12D, T.S. No. 119/2, Block No. 3, Ward No. H, Keelkattalai Village, Pallavaram Taluk, Pallavaram Municipality Limit, Kanchipuram District; with floor area GF=FF=80.66 sqm, Headroom= 8.18 sqm. The color scheme of the monument should be kept in view while constructing the building

Case no. 34

(Shri J. Mohanrajan S/o Shri A. Janakiraman, D. No. 29 B, VOC Street, Elleppa Nagar, Big Kanchipuram -631 502, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.47 mtr (including mumty, parapet, water storage tank etc.) & construction height of compound wall = 1.83 mtr; at Plot No. 51/1, Kailasanathar Koil Street, Mullai Nagar, T.S. No. 2370/1C6B, Ward No. 3, Block No. 47, Kanchipuram Town Taluk and District; with floor area GF=FF= 47.74 sqm. The color scheme of the monument should be kept in view while constructing the building

Case no. 35

(Shri M.R. Shanmugam S/o Shri Ramamurthy, D. No. 33C, 33C/1, Madangeeswarar Koil Street, Hospital Road, Big Kanchipuram- 631 502, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Stilt+2 floors with headroom with the total height of 9.76 mtr (including mumty, parapet, water storage tank etc.) & construction height of compound wall = 1.83 mtr; at D. No. 33C, 33C/1, Madangeeswarar Koil Street, Hospital Road, T.S. No. 852/1, 852/2 & 853/1A1A, Ward No. 04, Block No. 12, Kanchipuram Town, Taluk and District; with floor area Stilt= FF=SF=474.07 sqm, Headroom = 53.49 sqm. The color scheme of the monument should be kept in view while constructing the building

306 9 Jun 21

Case no. 36

(Smt. C. Hemamalini, D. No. 125, Bangaru Nagar, 1st Street, old Pallavaram, Chennai- 600 117, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of G+1 floor with overhead tank with the total height of 9.00 mtr (including mumty, parapet, water storage tank etc.) at Perumal Koil Street, T.S. No. 9, Ward No. C, Block No. 7, Zamin Pallavaram Village, Pallavaram Taluk, Pallavaram Municipality Limit, Chengalpattu District; with floor area GF=135.87 sqm, FF=208.37 sqm, Car praking = 96.84 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 37

(Smt. J. Devakunjari W/o A. Jambu Kumara Gurukka, Door No. 8, Srinivasa Apartments, Karthikeyapuram, 1st Cross Street, Madipakkam, Chennai- 600 091, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.54 mtr (including mumty, parapet, water storage tank etc.) & construction height of compound wall = 1.83 mtr; at Plot No. 3, as per Patta Survey No. 297/3A3, T.S. No. 50, Block- 4, Ward- H, Easwaran Nagar, 7th Street, Keelkattalai Village, Pallavaram Taluk, Pallavaram Municipality Limit, Chengalpattu District; with floor area GF=FF=101.72 sqm. The color scheme of the monument should be kept in view while constructing the building

Case no. 38

(Shri S. Rajendran & R. Anandhi, Door No. 1, Plot No. 5, 2nd Street, Bharath Nagar Madipakkam, Chennai- 600 091, Tamilnadu)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised plan with the total height restricted to 14.52 mtrs (inclusive all) as the maximum height given by Authority near the monument is 14.52 mtrs (inclusive all).

Case no. 39

(Shri Ekambaram Gopu, No. 14/4, Natarajan Street, Sekar Nagar, Jeferkhanpet, Ashok Nagar, Chennai- 600 083, Tamilnadu)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised plan with the total height restricted to 12.65 mtrs (inclusive all) as the maximum height given by Authority near the monument is 12.65 mtrs (inclusive all).

Case no. 40

(Shri K. Paneerselvam, D. No. 58A, Vanigar Street, Kanchipuram- 631 502, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 8.00 mtr (including mumty, parapet, water storage tank etc.) at T. S. No, 2236/6, 2237/7, Plot No. 23, 23 '0' wide, Kailasanathar Koil Mettu Street Kailash Garden Ward No. 3, Block No. 46, Kanchipuram Town Taluk and District; with floor area GF=FF=198.01 sqm, Compound wall = 66.71 Rm. The color scheme of the monument should be kept in view while constructing the building

Case no. 41

(Smt. M. Mahalakshmi, D. No. 15/127, Vignesh Nagar, Thiruveethipallam, Kanchipuram- 631 501, Tamilnadu)

3069 Jun 21

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.83 mtr (including mumty, parapet, water storage tank etc.) at Old T. S. No, 2238, New T. S. No. 2238/10 Plot No. 22, Eastern part, Kailasanathar Koil Mettu Street Kailash Garden Ward No. 3, Block No. 46, Kanchipuram Town Taluk and District; with floor area GF=FF=59.00 sqm, Compound wall = 43.8 Rm. The color scheme of the monument should be kept in view while constructing the building

Case no. 42

(Smt. N. Vimala, Shri N. Baskar & Shri N. Senthil Kumar, D. No. 20A/I, Kalandar Street, Kanchipuram - 631 502, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of G+1 floor with the total height of 7.75 mtr (including mumty, parapet, water storage tank etc.) at D. No. 20A/1, Kalandar Street, T.S. No. 1474/2A1A, ward No. 04, Block No. 18, Kanchipuram Town Taluk and District; with floor area GF=FF=77.77 sqm, Compound wall = 43.8 Rm. The color scheme of the monument should be kept in view while constructing the building

Case no. 43

(Shri S. Konthaandaraman S/o Sundarababu, D. No. 4A/2, Sangubani Vinayagar Koil Street, Kanchipuram- 631 502, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Stilt +2 floors with the total height of 9.30 mtr (including mumty, parapet, water storage tank etc.) & construction height of compound wall = 1.83 mtr; at T.S. No. 763/2, ward No. 4, Block No. 10, Door No. 4a/2, Sangupani Vinayagar Kovil Stree (A), Sappani Pillayar Kovil Street, Kanchipuram Town Taluk and District; with floor area Stilt= 51.11 sqm, FF=SF=46.74 sqm. The color scheme of the monument should be kept in view while constructing the building

306 9 Jun 21

Case no. 44

(Shri P. Maheswaran, D. No. 458, Kodi Marathu Moolai, East Main Street, Thanjavur Post, Thanjavur- 613 008, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Ground floor with the total height of 4.52 mtr (including mumty, parapet, water storage tank etc.) at Ward No. 3, Block No. 12, T.S. No. 458/2, Kodimarathu Moolai, Arasamara Lane, Thanjavur City Municipal Corporation Limit, Thanjavur District; with floor area GF=29.11 sqm. The color scheme of the monument should be kept in view while constructing the building

Case no. 45

(Smt. Ritu Gupta W/o Shri Anil Kumar Gupta, Ram Bhawan, Moti Nagar, Aishbagh Road, Lucknow, Uttar Pradesh 226004)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Basement+GF+2 floors with the total height of 12.15 mtr (including mumty, parapet, water storage tank etc.) at Plot No. 14, House No. 9/14, Sarvodya Nagar Colony, Rana Pratap Marg, Lucknow; with Covd. area on Basement = 278.07 sqm, covd. Area on GF=FF=SF=278.67 sqm, Mumty and mach room area = 15.58 sqm and porch area= 18.00 sqm.

Case no. 46

(Mr. Hareesh. M.M. , Menchery House, Chowannoor. P.O., Thrissur-680517., Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor + Compound wall with the total height of 06.70 mtr (including mumty, parapet, water storage tank etc.) at Re. Sy. No. 97/18-2-2, Village Chowannur, Municipality Kunnamkulam, District Thrissur.; with Built up area of GF=86.40 sqm, FF=11.63 sqm and Compound wall Length=36.20 mtr & height 1.50 mtr. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 47

(Sri. Sherin P Jaison, Puthiyankath House, Kakkad, Kunnamkulam. P.O., Thrissur-680503., Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 04.45 mtr (including mumty, parapet, water storage tank etc.) at Re-Survey no.87/20-1, Village Kunnamkulam, Municipality Kunnamkulam.; with Built up area of GF=121.32 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

906 9 Jun 21

Case no. 48

(Mr. Rajeevan, Mallissery House, Chowannoor. P.O., Thrissur-680517., Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Additional construction in FF over existing GF+1 floor with the total height of 06.85 mtr (including mumty, parapet, water storage tank etc.) at Re-survey no. 97/15-3 Part at Chowannur Village Kavanamchittoot Desom Kunnamkulam Municipality, Ward no. X.; with Built up area of FF(Proposed addition study room)= 11.13 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 49

(Sri. Ramaswamy. T.V, Puthen Nadakkavu, T.C. 35/1962, Round South, Thrissur-680001, Kerala.)

After perusal of the application and recommendation received from Competent Authority and Superintending Archeologist, ASI, it was decided to **recommend** grant of NOC in this case for Renovation of GF+1 floor with the total height of 07.00 mtr (including mumty, parapet, water storage tank etc.) at Survey No. 1288/2-1, 1288/1-1, 1288/1-2, 1288/5-1, Ward No. 36, Village, Taluk and Corporation Thrissur; with floor area of GF=FF=175.07 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 50

(Mrs. Madhavi, Peroth House, Kattakampal. P.O., Thrissur-680544., Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Additional construction in GF and construction of Head room over existing GF with the total height of 06.15 mtr (including mumty, parapet, water storage tank etc.) at Re-Sy. No. 303/14-1, Village and Panchayath Kattakampal, Thrissur district.; with Built up area of Proposed GF=51.64 sqm and Head room=18.32 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 51

(Mr. Muralinathan, Ramatkizhakethil House, Eyyal. P.O., Thrissur-680501, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.35 mtr (including mumty, parapet, water storage tank etc.) at Sy No. 1148, Kunnamkulam Taluk, Kadangode Gramapachayth; with Floor area of GF=FF=70.33 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 52

(Mr. B. Radhakrishnan, Nambiam Madathil House, Kadavallur. P.O., Mannam Nagar, Thrissur-680543, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.55 mtr (including mumty, parapet, water storage tank etc.) at Sy. No. 739/2-3, Ward No. 1, Kadavallur Grama Panchayath, Kadavallur Village, Kunnamkulam Taluk, Thrissur district.; with Plinth area of GF=133.83 sqm and FF=50.48 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 53

306 9 Jun 21

(Sri. Satheeshan. K.A. Kottiyatil House, Kakkad, Kunnamkulam. P.O., Thrissur-680503, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 06.65 mtr (including mumty, parapet, water storage tank etc.) at Re-Sy. No. 89/22-7-1, Ward no. VIII, Municipality & village Kunnamkulam, Thrissur district; with Plinth area of GF=74.81 sqm and FF=35.08 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 54

(Sri. Jayaprakashan, Puthiripadam House, Ariyannoor. P.O., Thrissur-680102, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.25 mtr (including mumty, parapet, water storage tank etc.) at Old Sy. No. 1000/3-4, Kandanassery Village, Ward no. IV, Kandanassery Panchayath; with Built-up area of GF=63.60 sqm and FF=51.42 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 55

(Sri. Mony, Kozhuppamadam house, Ariyannur. P.O., Thrissur-680102, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 04.45 mtr (including mumty, parapet, water storage tank etc.) at R. Sy. No. 1036, Village Kandanassery, Panchayath Kandanssery, Thrissur district; with Built-up area of GF=64.69 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 56

(Mr. Nithinraj, Ponnarassery House, Kattakampal. P.O., Thrissur-680544, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.00 mtr (including mumty, parapet, water storage tank etc.) at Re- Sy No. 433/8P, Ward no. II, near door no. 44, Kattakampal Grama panchayath & village, Thalappilly Taluk, Thrissur district; with Built-up area of GF=95.75 sqm and FF=58.20 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 57

306 9 Jun 21

(Mrs. Pushpa & Others, Naduvilpatt house, Perumpully Nagar, Chirakkal, Kattakampal. P.O., Thrissur-680544, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 04.40 mtr (including mumty, parapet, water storage tank etc.) at Re-Sy. No. 323/9-1, Village and Panchayath Kattakampal, Thrissur district; with Built-up area of Proposed GF=39.01 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 58

(Sri. Vaisakh. M.M. Mookanamkulangara House, Mosco Road, Kakkad, Kunnamkulam. P.O., Thrissur-680503, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Additional construction in existing GF and construction of FF with the total height of 07.25 mtr (including mumty, parapet, water storage tank etc.) at Re-Sy. No. 91/29-2, Kunnamkulam Municipalty, ward-VIII Kunnamkulam Taluk, Thrissur district; with Plinth area of Proposed GF=24.62 sqm. and FF=55.56 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 59

(Mrs. Chinnamani, Cheruvathoor House, Pazhanji. P.O., Thrissur-680542, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Single Storey (Shed) + Compound wall with the total height of 06.30 mtr (including mumty, parapet, water storage tank etc.) at R. Sy. No.320/6-1 Part, Ward No XV, Near building door No. 697, A,B,C,D, D,E,F, Kattakampal Gramapanchayath & Village, Kunnamkulam Taluk, Thrissur District.; with Built up area of proposed Shed=133.02 sqm and Compound wall length= 68.54 mtr with height 1.40 mtr. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 60

(Mr. Davis. E.F., Edakalathoor House, Eyyal. P.O., Kechery Via, Thrissur-680501, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Additional construction in existing GF with the total height of 06.23 mtr (including mumty, parapet, water storage tank etc.) at Re. Sy. No. 1100, 1107/P, 1106/4, Ward no. XIII, Village Eyyal, Thrissur district; with Built up area of Proposed

306 9 Jun 21

GF=92.27 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 61

(Ramachandran, Chullikkattil House, Chemmanthitta. P.O. Thrissur-680501, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.40 mtr (including mumty, parapet, water storage tank etc.) at Re-survey no. 87/16-1, Chemmanthatta Village, Chowwannur Panchayath, Kunnamkulam Taluk Thrissur District; with Built up area of GF=100.01 sqm and FF=44.59 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 62

(Mrs. Umadevi, Paninthaveettil House, Eyyal. P.O., Thrissur-680501, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor+GI sheet roofing with the total height of 08.95 mtr (including mumty, parapet, water storage tank etc.) at Sy no. 1207/3, Kunnamkulam Taluk, Kadangode Grama Panchayath; with floor area of GF=73.34 sqm and FF=59.42 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

306 9 Jun 21

Case no. 63

(Mr. Babu K.P, Kizhakkeppattu House, Kadavallur. P.O., Thrissur-680543, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.25 mtr (including mumty, parapet, water storage tank etc.) at Sy. No. 576/2-1, Ward no. 1 at Kadavalloor Grama Panchayath, Kunnamkulam Taluk, Thrissur District; with Built-up area of GF=99.00 sqm and FF=71.27 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 64

(Smt. Lalitha Sasi, Kalarikkal House, Ariyannoor. P.O., Thrissur-680102, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.40 mtr (including mumty, parapet, water storage tank etc.) at R. Sy. No. 313/1, Nearest door no. XI/519A, Aloor Village, Thrissur district; with Built-up area of GF=FF=58.74 sqm. The

construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 65

(Mr. Renjith. R.K. Ramattkizhakethil House, Eyyal. P.O., Thrissur-680501, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 06.85 mtr (including mumty, parapet, water storage tank etc.) at Sy. No. 1147/1, Kunnamkulam Taluk, Kadangode Grama Panchayath, Thrissur district; with Built-up area of GF=68.63 sqm and FF=10.05 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 66

(Mr. Subramanian, Manaliparambil House Chowannoor. P.O., Thrissur-680517, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Additional construction on existing GF and construction of FF with the total height of 07.83 mtr (including mumty, parapet, water storage tank etc.) at Sy No. 83/5, Existing door No. X/416, Kunnamkualam Municipality, Chowannur Village, Thrissur district; with Built-up area of Proposed GF=6.49 sqm and Proposed FF=84.05 sqm.. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

306 9 Jun 21

Case no. 67

(Mr. Subramanian, Manaliparambil House Chowannoor. P.O., Thrissur-680517, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor+ Terrace floor with the total height of 08.70 mtr (including mumty, parapet, water storage tank etc.) at Sy No. 83/5, Existing door No. X/414, Kunnamkualam Municipality, Chowannur Village, Thrissur district; with Built-up area of GF=FF=54.21 sqm and Terrace floor =15.42 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 68

(Rejula Suresh, Kalarikkal House, Ariyannoor P.O., Thrissur-680102, Kerala.)

After perusal of the application, it was decided to **Defer** the case and ask the Competent Authority to recheck the distance of the Proposed site from the Monument and submit the report for an assurance on the applicability or otherwise of Prohibited area restrictions.

Case no. 69

(Mr. Abdullakutty, Mangallesery house, Vazhapully, Perakam. P.O., Thrissur-680506, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor + stair room with the total height of 09.35 mtr (including mumty, parapet, water storage tank etc.) at R.Sy. No. 85/18-1, Ward No. X, Village Chowannur, Thrissur District; with Plinth area of GF=116.74 sqm, FF=139.75 sqm and Stair room= 16.07 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 70

(Mr. Satheesh Kumar. K.R. & Geetha. V. 'Souparnika' Kapoor House, Kadavallu. P.O., Thrissur-680543, Kerala.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.08 mtr (including mumty, parapet, water storage tank etc.) at Re Sy. 750/P-3, Taluk Kunnamkulam, Village Kadavallur, District Thrissur; with Built up area of GF=124.06 sqm and FF=80.71 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

306 9 Jun 21

Case no. 71

(Shri Bachubhai Vitthaldas Rana, 49, Dutt Kripa Society, Malivad, Vyara-394650, Dist- Tapi, Gujarat.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Ground floor with the total height of 04.70 mtr (including mumty, parapet, water storage tank etc.) at Plot NO. 49, Dutt Kripa Society, C.S.No. 236, Malivad, Vyara, Gujarat; with Built up area of GF=20.21 sqm.

Case no. 72

(Smt. Najmabanu Pirmohmmed Kureshi, 40338, B/h. Old Civil, Nanpura, Surat-395001, Gujarat.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Parking,GF+4 (Four) floors with the total height of 18.55 mtr (including mumty, parapet, water storage tank etc.) at C.S.No. 4081, paiki, ward No. 1, Nanpura, Surat, Gujarat; with Built up area of GF=FF=SF=TF=FF=71.89 sqm/each.

Case no. 73

(Shri Sureshbhai J. Mavani and Smt. Sandhyaben S. Mavani, Shanji, 5-Gopal Vatika, Near Vrajdham Society, Dwarka-361335, Devbhumi Dwarka, Gujarat)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised building plan with the total height of building restricted to 15.00 meters (including mumty, parapet, water storage, etc.) as the maximum height restricted by Authority near the monument is 15.00 mtrs (inclusive all).

Case no. 74

(Shri Chitrang Nirbhayram Thaker, Opp. A-One Medical, Jodha Manek Chowk, Dwarka-361335, Dist. Devbhumi Dwarka, Gujarat.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 (Two) floors with the total height of 11.125 mtr (including mumty, parapet, water storage tank etc.) at C.S.No. 498-A and 500, Sheet No. 30, Dwarka, Gujarat; with Built up area of GF=FF=57.24 sqm/each and SF=43.45 sqm.

Case no. 75

(Shri Dipak Nathalal Panchal, 1-Rubi Park, Near Zaveri Park, Nr. Naranpura Railway Crossing, vadaj, Ahmedabad-13, Gujarat.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+ Mezzanine Floor +1 (One)+ Stair Cabin with the total height of 12.44 mtr (including mumty, parapet, water storage tank etc.) at Plot No. 4, 5 and 6, C.S.No. 3574, Shahibaug, T.P.S.14, Ahmedabad, Gujarat; with Built up area of GF=224.71 sqm, Mezzanine Floor=87.89 sqm, FF=204.54 sqm and Stair Cabin =31.75 sqm.

306 9 Jun 21

Case no. 76

(Femida Khatun Badruddin, Munshi Estate, Opp. Shalimar Theater, Near Shah Alam Gate, Shah Alam Road, Ahmedabad-380028, Gujarat.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+ 2 and Partly 3rd Floor with the total height of 14.25 mtr (including mumty, parapet, water storage tank etc.) at T.P.S.No. 37, Danilimda, Sector-IV, C.S.No. 29/2A, F.P.No,. 3/2/Paiki, Munshi Estate, Danilimda, Gujarat; with Built up area of GF=FF=SF=287.29 sqm and TF=92.52 sqm.

Case no. 77

(Shri Saiyed Badruddin Saiyed Nizamuddin, Nelson Electric Motor, 629-Halpti Colony, Opp. Kinnari Cinema, Nr. Mamta Hospital, Umarwada, Surat-395003, Gujarat.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF, Parking+4 (Four) Floors with the total height of 19.10 mtr (including mumty, parapet, water storage tank etc.) at C.S.No. 1085, Ward No. 8,

Gopipura, Surat, Gujarat; with Built up area of GF=FF=SF=TF=FF=38.75 sqm/each and Stair Cabin & lift=20.20 sqm.

Case no. 78

(Shri Bharatbhai Bholanath Solanki, Shri Barai Rameshbhai Chhotalal and Shri Katar Manish Dolatray, Bhadrakali Road, Balbhadra Bazar, Dwarka-361335, Dist. Devbhumi Dwarka, Gujarat)

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without taking prior approval from the Authority.

Case no. 79

(Shri Gulab Vithal Parkhe, Nimagaon Mahlunge, Tal-Junnar, Dist-Pune-410502, Maharashtra.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Parking/GF+1 Floor with the total height of 10.40 mtr (including mumty, parapet, water storage tank etc.) with following floor area:

Building 1 Parking/GF+1 floor Parking/GF= 408.93 sqm FF= 465.08 sqm Height 10.40 mtr (including parapet, mumty and water-storage tank etc.)	Building 2 Parking/GF+1 floor Parking/GF= 35.15 sqm FF= 615.75 sqm Height 9.70 mtr (including parapet, mumty and water-storage tank etc.)

at Gat No. 14/Part, Barav (Padali), Tal-Junnar, Dist-Pune-410502;

306 9 JUN 21

Case no. 80

(Reeti Builders Through Partner-Sh. Ghanshyam J. Kabra & Others, S. No. 22, Flat No. 5, Plot No. 77, Om Appartment, Near Tulja Bhawani Temple, Balaji Nagar, Dhankawadi, Dist-Pune-411043, Maharashtra.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF(Only Parking)+5 floors with the total height of 23.95 mtr (including mumty, parapet, water storage tank etc.) at C.T.S. No. 1397, Kasba Peth, Pune-411011; with floor area of GF(Only Parking)+FF=SF=TF=FF=FF=94.19 sqm and Lift pit of depth- 1.50 mtrs.

Case no. 81

(Shri Khagesh Goyal & Shri Shekhar Goyal both S/o Shri Devi Ram Goyal, H. No. DP9, Jhabar Nagar, Palwal, Haryana.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+Mumty with the total height of 08.425 mtr (including mumty, parapet, water storage tank etc.) at Khasra No. 1254 near Garg

Furniture House, Jhabar Nagar, as per MC, Palwal Prop. Id No. 588/65, Palwal; with floor area of Basement=GF=180.944 sqm and Mumty=9.428 sqm.

Case no. 82

(Shri Dalip Nagar, D-18, Geetanjali Enclave, New Delhi.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Addition/alteration of Basement+GF+3 floors with the total height of 18.00 mtr (including mumty, parapet, water storage tank etc.) with following floor area:

Floors	Proposed	Existing	Total
Basement	---	143.29	143.29sqm with depth = 2.13mtrs
GF	37.85	135.35	173.20sqm
FF	33.03	135.35	168.38sqm
SF	67.45	100.93	168.38sqm
TF	115.60	----	115.60sqm

at D-15, Geetanjali Enclave, New Delhi

Case no. 83

(Smt. Sunita Kaur and Smt. Govinder Pal Kaur, C-11, SDA Usha Niketan, Hauz Khas, New Delhi.)

After perusal of the application, it was decided to **reject** the case as the proposed construction falls in the prohibited area of the monument. In terms of the provisions of the AMASR Act 1958, It is beyond the purview of the Authority to consider applications for construction or reconstruction in the Prohibited area of the protected monument or area.

306 9 Jun 21

Case no. 84

(Shri Vidyut Agarwal, B-182, East of Kailash, New Delhi-110065.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Repair/renovation of Ground Floor at B-182, GF, East of Kailash, New Delhi-110065. Applicant should ensure that no vertical & horizontal expansion.

Case no. 85

(M/s Sai Shreeja Cars Pvt. Ltd. Through its H.R. Manager Mr. Rajesh Fotedar, 310, Kanchan House Commercial Centre Plot no. C-1 Community Centre Karampura, New Delhi-110015.)

After perusal of the application, it was decided to **reject** the case as the proposed construction falls in the prohibited area of the monument. In terms of the provisions of the AMASR Act 1958, It is beyond the purview of the Authority to consider applications for construction or reconstruction in the Prohibited area of the protected monument or area.

Case no. 86

(Sri. Padam S/o Mahaveerchand Parekh, BLDE Road,Sumati Nagar,Parekh Nivas,Vijaypur District-586101, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.60 mtr (including mumty, parapet, water storage tank etc.) at Sy. No 742/C, Plot No 35, M. Bagayat, Vijayapura; with floor area of GF=111.30 sqm and FF= 111.30 sqm.

Case no. 87

(Smt. Yashodha W/o Doddaswamy, Eshwara Temple Road,Palahalli,Belagola hubli, sringapatna Mandya District-571438, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.65 mtr (including mumty, parapet, water storage tank etc.) at KH No. S-5114/352/353/1/353/2/68, E No. 2-522-316, Chandagalu Road, Sreerangpattana; with floor area of GF=66.50 sqm and FF=66.50 sqm.

Case no. 88

(Smt. Mahananda w/o Shivashankar Kalaburgi & Sri.Shivshankar S/o Laxman Kalaburgi, Near Raghavendra Temple, Divatageri Galli, Station Road, Vijayapur District-586101, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 08.00 mtr (including mumty, parapet, water storage tank etc.) at Sy.No 247B,Plot No.13,Ward No.6A,Banned Layout, Mahalbagayat, Vijayapur; with floor area of GF =70.00 sqm and FF= 70.00 sqm.

Case no. 89

(Sri. Udit Kumar, Director, Kamalya Builders & Developers LLP, No 15/A,SSV Complex, Raghavendra Layouts, Yeshwanthpur, Bangalore-560022, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.50 mtr (including mumty, parapet, water storage tank etc.) at Katha No. S-5051/352/353/1/353/2/2, Chandagalu Road, Srirangapatna.; with floor area of GF=FF=69.51 sqm.

Case no. 90

306 9 Jun 21

(Sri. Udit Kumar, Director, Kamalya Builders & Developers LLP, No 15/A,SSV Complex, Raghavendra Layouts, Yeshwanthpur, Bangalore-560022, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.50 mtr (including mumty, parapet, water storage tank etc.) at Katha No. S-5050/352/353/1/353/2/1, Chandagalu Road, Srirangapatna.; with floor area of GF=FF=49.30 sqm.

Case no. 91

(Sri. Santosh S/o Gopal Arakeri, Plot No. 73,Vidya Nagar, Moti Gumbaj Road, Near Civil Hospital Road, Vijayapur Taluk & District-586108, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.60 mtr (including mumty, parapet, water storage tank etc.) at Sy.No 887/C, Plot No. 35, Arakeri, M. Bagayath, Vijayapur.; with floor area of GF=FF=70.00 sqm.

Case no. 92

(Secretary, Anjuman E Islam, Vijayapur and Leaseholder Smt. Bilkishbanu w/o Zameerahamad Bagalkot, Ward No. 7A, Mustafa Colony, J.M.road, Vijayapur District, Karnataka)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised building plan with the total height of building restricted to 10.00 meters (including mumty, parapet, water storage, etc.) as the maximum height near the proposed construction is 10.00 mtrs (inclusive all).

306 9 Jun 21

Case no. 93

(Sri. Anil S/o Hanamanth & Smt. Anita w/o Anil Tagore, C/o Bommanalli House, A Block, Shakti Nagar, Jail Darga Road, Vijayapur District-586101, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 05.75 mtr (including mumty, parapet, water storage tank etc.) at Sy No. 838K,Plot No. 205,P.I.D No 63543,Near Ambabhavani temple, N.G.O Colony, Ward No.04,Jail Darga Road, Mahalbagayat, Vijayapur.; with floor area of GF=70.00 sqm.

Case no. 94

(Sri. Suleman S/o Saifansab Rudrawadi, Station Road, Railway Station Quatress, No. 38/A, Vijayapur District-586104, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 08.50 mtr (including

mumty, parapet, water storage tank etc.) at Sy No. 153D, Plot No. 127, Mahalbagayat, Vijayapur; with floor area of GF=FF=70.00 sqm.

Case no. 95

(Sri. Satish Mallikarjun Nagarale, Mini Welding Works, behind Maniyar Steel, Station back Road, Vijayapur District-586101, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.15 mtr (including mumty, parapet, water storage tank etc.) at Sy No. 746 G, Plot No. 43, Mahalbagayat, Vijayapur; with floor area of GF=FF=87.50 sqm.

Case no. 96

(Sri. Shrishali Ningappa Biradar, Nimbal K.D, Indi Taluk, Vijayapur District, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 08.40 mtr (including mumty, parapet, water storage tank etc.) at Plot No. 189, Sy No. 153/D, Mahalbagayat, Vijayapur.; with floor area of GF=FF=70.00 sqm.

Case no. 97

(Sri. Mohasin Chandsab Mirde, Near Railway Station, Railway Quarters Opp., Vijayapur District, Karnataka)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised building plan with the total height of building restricted to 10.90 meters (including mumty, parapet, water storage, etc.) as the maximum height given by Authority near the monument is 10.90 mtrs (inclusive all).

3069 Jun 21

Case no. 98

(Sri. Jyoti Naveen Kumar Nayak, #38, 4th Block, Dodda Bommasandra, Vidyaranyapur, Bangalore-560097, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 08.94 mtr (including mumty, parapet, water storage tank etc.) at Plot No. 181, Sy No. 153/D, M. Bagayat, Vijayapur; with floor area of GF=FF=66.36 sqm.

Case no. 99

(Sri. Ninganna S/o Siddappa Sajjan, C/o Hadagali, Vijayapur District-586127, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.60 mtr (including

mumty, parapet, water storage tank etc.) at Plot No. 181, Sy No. 153/D, M. Bagayat, Vijayapur; with floor area of GF=FF=70.00 sqm.

Case no. 100

(Sri. Varalakshmi G & Rajanna, Indiranagar, 1st Cross, Ward No. 31, Kolagal Road, Bellary-583104, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.80 mtr (including mumty, parapet, water storage tank etc.) at Plot No. 56/1, Asst No. 49251/56, R.S. no. 519, CMC Word No. 25,City Corporation War d No. 31, Medharukethaiah Nagar, Bellary; with floor area of GF =70.64 sqm and FF= 70.60 sqm.

Case no. 101

(Sri. Abdul Latif Mulla, 12/28, Navbag Main Road, Near SECAB School, Vijayapura District-586101, Karnataka)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised building plan with the total height of building restricted to 10.90 meters (including mumty, parapet, water storage, etc.) as the maximum height given by Authority near the monument is 10.90 mtrs (inclusive all).

Case no. 102

(Sri. Ramesh Meghu Chavan, Sy. No. R.S. No.153/D, Plot No. 205, Ward No. 05, Dollars Colony, Vijayapur District., Karnataka)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised building plan with the total height of building restricted to 10.90 meters (including mumty, parapet, water storage, etc.) as the maximum height given by Authority near the monument is 10.90 mtrs (inclusive all).

306 9 Jun 21

Case no. 103

(Sri. Vijaykumar Nijagunappa Heralagi, Jorapur Peth, Banagar Galli, Vijayapur District-586101, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 07.30 mtr (including mumty, parapet, water storage tank etc.) at CTS No. 826, W No.1, Vijayapur.; with floor area of GF =36.69 sqm and FF =35.16 sqm.

Case no. 104

(Sri. Honnappa Shivappa Pujar, Hashimpeer Dargha, Near Gandhi Nagar, Vijayapur District-586104, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.90 mtr (including mumty, parapet, water storage tank etc.) at Plot No. 118, Sy No. 153/D, Mahalbagayat, Vijayapur; with floor area of GF=FF=70.00 sqm.

Case no. 105

(Sri. Ramesh Kumar Gupta, Sri. Ganesh Kumar Gupta, Plot No. 553, 554, Samantarapur, Bhubaneswar-751002, District Khurda, Odisha.)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised building plan with the total height of building restricted to 09.30 meters (including mumty, parapet, water storage, etc.) as the maximum height given by Authority near the monument is 09.30 mtrs (inclusive all).

Review Case:

Case no. 01

(Shri Jagdishbhai Dahyabhai Vyas, 20, Vishvakunj Society, Narayan Nagar Road, Paldi, Ahmedabad-380007, Gujarat.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+5 Floors+Stair Cabin+LMR & OHWT with the total height of 22.80 mtr (including mumty, parapet, water storage tank etc.) at S.P.No. 20/B, F.P.No. 97, T.P.S.No. 6, Paldi, Ahmedabad (West), Ahmedabad; with floor area of GF=FF=SF=TF=FF=FF=123.23 sqm, Stair Cabin=31.20 sqm and LMR & OHWT=27.60 sqm.

306 9 Jun 21

SCN Case:

Case no. 01

(Shri Usmangani Memon, Director of Meem Procon Pvt. Limited, 25, Sardar Smruti Society, Juhapura Road, Sarkhej, Ahmedabad, Gujarat)

After perusal of the application, it was decided to **reject** the case as the applicant had already completed the construction work without taking prior approval from the Authority and a Show Cause Notice was issued by SA, ASI.

Additional Agenda 1

Public Project Case

Case no. 01

(Executive Engineer, Maharashtra Maritime board, Indian Mercantile Chambers, 3rd Floor, 14, Ramajibhai Kamani Marg, Ballard Estate, Mumbai-400001, Maharashtra.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Construction of Jetty and allied facilities with the total height of 1 mtr above ground level at Vasai, Tal – Vasai, Dist. Palghar, Maharashtra; with the area = 900 sqm.

Deferred Case

Case no. 01

(Punjab Urban Planning and devlopment authority, Guru Teg Bahadur Complex, Crystal Chowk, Amritsar, Punjab Pin No. 143001.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+3 floors+ Terrace with the total height of 15.23 mtr (including mumty, parapet, water storage tank etc.) at Guru Teg Bahadur Complex, Crystal Chowk, Amritsar, Punjab Pin No. 143001; with floor area of GF= FF= SF=TF= 798.96 sqm and Terrace Floor= 90.58 sqm.

Online Cases:

Gujarat case no. 24

(Rasidabanu Shabbirbhai Memon, (RS. NO.-38+39/A+40+41/8, Moje-Makarba) F-704, Albooruz Flate, NR., Police Head Quaters, Makarba Road, Juhapura, Ahmedabad-385330, Gujarat.)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised building plan with the total height of building restricted to 18.00 meters (including mumty, parapet, water storage, etc.) as the proposed construction close to the prohibited area of the monument.

Gujarat case no. 25

(Estate Officer, Ahmedabad Municipal Corporation (Rameshbhai M. Desai), Estate Officer, Ahmedabad Municipal Corporation, Estate Department, 3rd Floor, "B" Building, Sardar Patel Bhavan, Danapith, Ahmedabad, Gujarat.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with details as mentioned below:

Dog Shelter Admin Building=GF+FF **Floor area**	Dog Shelter Shed 1=GF, Shed 2=GF **Floor area**	Ladies & Gents Toilet=GF/each **Floor area**

9069 Jun 21

Dog Shelter Admin Building- GF=FF=196.62 sqm/each Stair Cabin=25.12 sqm Height- 11 meters (including all)	Dog Shelter Shed1= 621.46 sqm, Dog Shelter Shed 2 = 680.94 sqm Height- Dog Shelter Shed1& Dog Shelter Shed 2 = 05 meters / each (including all)	Ladies & Gents Toilet=14.55 sqm/each Height-05meters /each (including all)

at F.P.No. 90, Locality- Behrampura, Taluk-Maninagar, District- Ahmedabad, Gujarat.

Gujarat case no. 26

(Sureshbhai Mafatlal Shah, Kokilaben Mafatlal Shah, 699/1+/2, Bapashashtri No Khancho, Shankadisheri, Manekchawk, Ahmedabad, Gujarat.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Repair of GF+2 floors with the total height of 10.35 mtr (including mumty, parapet, water storage tank etc.) at C.S.NO.-1181/C, GAMTAL-KHADIYA-3, SHEET NO.-66, Ahmedabad, Gujarat; with floor area of GF=116.89 sqm, FF=122.80 sqm and SF=132.41 sqm.

306 9 JUN 21

Gujarat case no. 27

(Rajesh Thaker, Narsang tekri, vachradada street ,dwarka 361335 , dist devbhumi dwarka , Gujarat)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the revised building plan with the total height of building restricted to 15.00 meters (including mumty, parapet, water storage, etc.) as the maximum height restricted by Authority near the monument is 15.00 mtrs (inclusive all).

Delhi Case no. 527

(Mrs. Prem Lata Garg, B-79, C.C. Colony, near Rana Partap Bagh, Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+GF+3 floors with the total height of 18 mtrs (including mumty, parapet, water storage tank etc.) at Plot no.79, Block-B, situated at C.C. Colony, Opp. Rana pratap Bagh, Delhi; with floor area of Stilt=GF=FF=SF=TF=137.912sqm. The NOC is recommended to be granted with the terms and conditions mentioned in report of Competent Authority, Delhi. The applicant should follow the local building bye-laws while constructing the building.

Delhi Case no. 528

(Mr. Ajay Gautam, C-8/482 Sector-8 Rohini, Rohini Sector7, North West Delhi, Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+ 4levels with the total height of 16.05mtrs (including mumty, parapet, water storage tank etc.) at Nizammuddin Basti Near Lodhi Flyover, New Delhi; with floor area of Ground Floor= 329.71sqm, Level-01 = 25.53 sqm, Level-02 = 25.53 sqm, Level-03 = 25.53 sqm, Level-04 = 25.53 sqm. The NOC is recommended to be granted with the terms and conditions mentioned in report of Competent Authority, Delhi. The applicant should follow the guidelines as stipulated in Heritage Bye-Laws of "Nizamuddin Basti group of monuments".

Punjab case no. 25

(Shri Narinder Singh, #4060, Neeta Street, Near Gurudwara Singh Sabha, Bathinda, Punjab.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 08.22 mtr (including mumty, parapet, water storage tank etc.) at Z109647, Bathinda, Bathinda, Punjab; with floor area of GF=62.20sqm and FF= 30.93sqm.

Punjab case no. 26

(Shri Darshan Singh Son of Bhag Singh, VPO Sanghol, Tehsil Khamanon, District Fatehgarh Sahib 140802, Punjab.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 08.37 mtr (including mumty, parapet, water storage tank etc.) at Khewat No 580/639 Khasra, Sanghol, Fatehgarh Sahib, Punjab; with floor area of GF=115.20sqm and FF= 80.29sqm.

Punjab case no. 27

(Deepa S/O Ramesh Chander, #3700, Pandita Wali Gali, Qila Road, Mehna Chowk, Bathinda, Punjab.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 07.92 mtr (including mumty, parapet, water storage tank etc.) at #3700, Pandita Wali Gali, Bathinda, Bathinda, Punjab; with floor area of GF=FF= 36.80sqm.

Punjab case no. 28

(Neelam Madaan, Old m.c. No.5196, new mcb/z-1/06404, sirki bazar, bathinda, Punjab.)

3069 Jun 21

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 08.50 mtr (including mumty, parapet, water storage tank etc.) at MCB/Z-1/06404, Bathinda, Bathinda, Punjab; with floor area of GF= 39.31sqm and FF= 19.56sqm.

Punjab case no. 29

(MT. Sarabjit Kaur W/o S. Sukhmander Singh, M.c. No- 3841 part & m.c.b.z 1- 07111 neeta street (gali balwant singh) mehna chowk, Punjab.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Construction of FF and mumty over existing GF with the total height of 09.37 mtr (including mumty, parapet, water storage tank etc.) at M.C. NO- 3841 PART, Bathinda, Bathinda, Punjab; with proposed floor area of FF= 78.99sqm and Mumty= 3.80sqm.

Punjab case no. 30

(Sh. Sunil Singla S/O Sh. Prem Nath Singla, 79, Mausam Apartment, West Enclave Pritampura, Delhi 110034.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.92 mtr (including mumty, parapet, water storage tank etc.) at M.C.B.Z-1- 10086, Bathinda, Bathinda, Punjab; with floor area of GF=76.51sqm and FF=38.25sqm.

West Bengal case no 02

(Smt. Nandita Chakraborty, At- Ghumgarh, near Rajdarbar, P.O + P.S- Bishnupur, Dist- Bankura, West Bengal, Pin-722122)

After perusal of the application, it was decided to **Defer** the case and ask the Competent Authority to recheck the distance of the proposed site from the protected monument for an assurance on yhe applicability or otherwise of prohibited area restrictions. It was also decided to ask the Competent Authority / Superintending Archeologist, ASI to submit the present status report of the proposed construction with clear color photograph.

Additional Agenda 2

The Minutes will be Circulated Separately

3069 Jun 21