F. No. 1-A/NMA/NOC-2014
Government of India
Ministry of Culture
National Monuments Authority

The approved minutes of 132nd meeting held on 25th and 26th February, 2016 is hereby forwarded for perusal and comments, if any.

(Navneet Soni)
Member Secretary
07.03.2016

Draft Minutes
Ver- 1.1

Government of India
Ministry of Culture
National Monuments Authority
24, Tilak Marg, New Delhi 110001

MINUTES OF THE 132nd MEETING OF NMA

Venue - Conference Hall, NMA Hqrs, 24, Tilak Marg, New Delhi 110001

Time & Date - 10.30 P.M on 25th & 26th February, 2016

*****

The meeting was attended by the following:

1. Sh. Saleem Beg, Chairperson (I/C) & Whole Time Member, NMA
2. Sh. Pukhraj Maroo, Part Time Member NMA
3. Ms. Shalini Mahajan, Part Time Member NMA
4. Mr. Navneet Soni, Member Secretary
5. Sh. Amar Mudi, Consultant(Director), NMA

Agenda: Item No. 1

The minutes of 131st meeting held on 19th and 20th January, 2016 were confirmed.

Agenda: Item No. 2

The following NOC Applications were put up for specific consideration of Authority:

(i) & (ii) Member Secretary briefed the Authority about the two cases referred by the Ministry of Culture for consideration. After detailed discussion, it was decided that MoC may be requested to furnish copy of the complaint and other records submitted therewith in respect of alleged irregularity in construction undertaken at Plot No.s J-4 and J-13, Green Park, New Delhi.

(iii) Authority discussed the matter relating to alleged irregularity in construction of building at 14 Janpath lane, New Delhi. It was decided that ASI may be asked to furnish all the correspondence made by them on this issue alongwith Expert Committee order, Supreme Court (Single Bench)(Double Bench) orders, copies of ASI notices to NDMC and the applicant as also copy of withdrawal letter sent by NDMC.

(iv) Authority decided that Scindia School, Madhya Pradesh, may be asked to furnish written reply to the notice sent to them. They may apply for regularization of construction through proper channel which will be considered alongwith comments of CA on this issue.

(v) In addition to above cases, MS mentioned the alleged violation of provisions of Act by Dr. Sanjeev Vohra, 4, Laxman Nagar, Kheria Road, Agra. After deliberation Authority decided that ASI may be directed to furnish copies of letters sent by SA, Agra Circle, on this issue on the basis of which demolition order was issued.

Agenda: Item No. 3

It was decided by the authority that NMA will recommend the set back upto 100 mtr limit i.e. prohibited area of a monument in such cases where the proposed site falls partly in prohibited and partly in regulated area. Further setback as per rules and regulations of Local Bodies are to be decided and enforced by local bodies concerned.

Additional Agenda No. 1

MS informed the authority that representations have been received from Karnataka, Tamil Nadu and Himachal Pradesh stating that NOC is not being issued by CA in Form IV even after the Regularization Charges levied by Authority was deposited. After deliberation, it was decided that NMA should ask DG to seek suggestions from SA on our letter of RC, as detailed suggestion on the utilization of the RC (Regularization Charge) asked for from the C.A.s have also not been received.

Agenda: Item No. 4 Consideration of NOC applications

Deferred Cases

Case no. 01

(Smt. Ruchi Rai Singhani, Shri Pratik Bharat Shah and Shri Ramesh Uttamchand Ramchandani, Kashmere Gate, Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+4 floors with the total height of 18 mtrs including mumty, parapet, water-tank etc. leaving a setback of 6.10 mtrs from front side. The applicant should ensure that the all types of construction should take place in the regulated area; with floor area Stilt=G.F= **421.33 sqm,** F.F =S.F=T.F = **418.57 sqm.**

Case no. 02

(G. Corp properties Pvt. Ltd. Rehal Buildtech Pvt. Ltd., IHHR Hospital Pvt. Ltd, Pune, Maharashtra)

After perusal of the application, it was decided to ask the applicant to submit a revised building plan for all the 6 blocks upto height of 20 mtrs inclusive all as permissible around this monument. Thereafter, the case will be considered again

Case no. 03

(Shri Shashi Jadhav Developers Pvt. Ltd, Kolhapur, Maharashtra)

After perusal of the application, it was decided to ask the CA to provide a copy of approved City Development Plan of Nasik. Thereafter, the case would be taken up for consideration.

Case no. 04

(Shri Vidyadhar Kesharchand Doshi, Solapur, Maharashtra)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of G+3 floors with the total building height restricted to 18 mtrs including mumty, parapet, water-tank etc. The applicant may ask to submit a revised building plan.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs. 1 lakh should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI.

Case no. 05

(Shri Dipak Mahan Lal Aggarwal, Ahmednagar, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Basement+G+3 floors with the total height of 15.40 mtrs including mumty, parapet, water-tank etc. with floor area G.F = 128.725 sqm, F.F=S.F= 135.647 sqm, T.F= 12.67 sqm. and basement with the depth 1.20 mtr.

Case no. 06

(Smt. Laxmi, Bidar, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+GF+2 floors with the total height of 14 mtrs including mumty, parapet, water-tank etc. with floor area Stilt= G.F=F.F=S.F= 160 sqm.

Case no. 07

(Shri Shiva Kumar, Gulbarga, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Celler+GF+2 floors with the total height of 10.44 mtrs including mumty, parapet, water-tank etc. with floor area Celler= 239.18 sqm, G.F=F.F= 208.18 sqm., S.F= 220.35 sqm.

Case no. 08

(Director, Department of Tourism, Government of Odisha, Khurda, Odisha)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of craft complex building on the plot Nos. 3301, 3302, 3303, 3304 and 3306 of Khata no. 411, Mouza Bhubaneshwar; with the total height of 12.95 mtrs including mumty, parapet, water-tank etc. with floor area GF= 1376 sqm, FF= 1056 sqm, SF= 1182 sqm. the applicant may be advised to use traditional material and façade in the construction. Moreover, there should not be any construction within the prohibited area.

Review Cases

Case no. 01

(Shri Rameshwar Goswami, F-45 Green park, New Delhi)

After perusal of the application, it was decided to **review** this case for construction of basement+Stilt+4 floors with the total height of 18 mtrs including mumty, parapet, water-tank etc. with floor area Stilt= 187.45 sqm, G.F= 187.47 sqm, F.F=S.F=TF= 184.98 sqm. and basement = 124.58 sqm with depth of 2.90 mtr.

Case no. 02

(All India Heart Foundation/ National Heart Institute through its Director Dr. S. PAdmavati, New Delhi)

After perusal of the application, it was decided to **review** this case for construction of institutional building as per revised building plan subject to the provisions of building Bye laws as per MPD 2021.

Case no. 03

(Sh. Atul Babubhai Shah, 402, Akansha, Ahmadabad)

After perusal of the application and the revised building plan, it was decided to **review** the height in this case for construction of commercial building with the total height upto 22.80 mtr. including mumty, parapet, water-tank etc. , as permissible around this monument.

Reconsideration Cases

Case no. 01

(Shri Suni Sadashiv Doiphode,Raviwar Peth,Satara,Maharashtra)

After perusal of the application, it was decided to ratify the NOC application for re-construction of GF+1 floors with the total height of 11.10 mtrs including mumty, parapet, water-tank etc. with floor area GF=FF=93.85 sqm

Case no. 02

(M/S Sai Deogiri Valley, Aurangabad,Maharashtra)

After perusal of the application, it was decided to ask the applicant/C.A. for Archaeological Impact Assessment on the revised proforma to be provided by NMA.

Case no. 03

(Sh. Mohan S/o late Narayanaro Gawli, Gulbagra, Karnataka)

After perusal of the representation submitted by the applicant, it was decided to take necessary action as discussed in Additional Agenda No. 1, seeking compliance of the CAs.

Case no. 04

(Sh. Manjunath Krishna Hegde, Kumta, Karnataka)

After perusal of the application and submitted proposed building plan, it was decided to approve the plan with the same terms and conditions as recommended in 122nd meeting of NMA, for construction of GF+1 with total height of 7.42 mtr including mumty, parapet, water-tank etc.; with floor area GF=137 sqm , FF=80.39 sqm.

Case no. 05

(Dr. Shakeel Ahmedkhan, Gulbarga, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors with the total height of 12.64 mtrs including mumty, parapet, water-tank etc. with built up area G.F=F.F=S.F = 161.27 sqm. with basement area =147.43 sqm.

Fresh Cases

Case no. 1

(Shri Bashir Ahmed, Leh, Jammu & Kashmir)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of residence cum guest house of G+2 floors with the total height of 36 feet (10.97 mtrs) including mumty, parapet, water-tank etc. with floor area 3252 sqft.

Case no. 2

(Shri Nazirul Hazarika, Sivasagar, Assam)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of residential ground floor with the total height of 15 feet (4.57 mtrs) including mumty, parapet, water-tank etc. with floor area; G.F = 975 sqft.

Case no. 3

(Smt. Rabiam Bi (C), North Goa, Goa)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of residential house/shed with the total height of 3 mtrs including mumty, parapet, water-tank etc. The applicant may be advised to incorporate sloping tiled roof in the construction.

Case no. 04

(Smt. Rabiam Bi (D), North Goa, Goa)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of residential house/shed the total height of 3 mtrs including mumty, parapet, water-tank etc. The applicant may be advised to incorporate sloping tiled roof in the construction.

Case no. 05

(Shri Lakshmappa V. Gouda, Northa Goa, Goa)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for residential construction of ground floor with the total height of 4.1 mtrs including mumty, parapet, water-tank etc. with floor area 91.38 sqm. The applicant may be advised to incorporate sloping tiled roof in the construction.

Case no. 06

(Smt. Laxmi A. Gaundar, North Goa, Goa)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for residential construction of ground floor with the total height of 3 mtrs including mumty, parapet, water-tank etc. with floor area 58.39 sqm. The applicant may be advised to incorporate sloping tiled roof in the construction.

Case no. 07

(Shri Rajesh Seth & others, North Goa)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for repair and renovation of pavement road work for existing residential and commercial building.

Case no. 08

(Shri Moti Ram Aggarwal, Hissar, Haryana)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt/Plinth,G+2 floors with the total height of 13.05 mtrs excluding mumty, parapet, water-tank etc. with floor area; G.F=F.F=S.F= 320.87 sqft (29.80 sqm).

Case no. 09

(Smt. Kamla Devi W/o Shri Amrit Lal, Hissar, Haryana)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of residential G+1 floors with the total height of 7 mtrs excluding mumty, parapet, water-tank etc. with floor area G.F = 1551 sqft (144.09 sqm) , F.F = 862 sqft (80.08 sqm).

Case no. 10

(Ms. Garima Nautiyal D/o Shri Tika Ram Nautiyal, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of residential G+1 floors with the total height of 9.62 mtrs including mumty, parapet, water-tank etc. with floor area G.F = 50.69 sqm., F.F = 67.31 sqm.

Case no. 11

(Shri Om Prakash Aggarwal S/o Shri Murari Lal Aggarwal, Udhamsingh Nagar, Uttarakhand)

After perusal of the application, it was decided to get comments of SA, ASI, Dehradun Circle on the protected site Govishan Tila. Then, the case would be taken up for consideration.

Case no. 12

(Smt. Asha Painuli W/o Shri Girish Chandra Painuli, Dehradun, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case construction of residential G+1 floors with the total height of 8.10 mtrs including mumty, parapet, water-tank etc. with floor area G.F = 78.94 sqm., F.F = 78.94 sqm.

Case no. 13

(Shri Prem Lal S/o Shri Dile Ram & Smt. Poonam Devi, Kullu, Himachal Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of commercial G+3 floors with the total height of 15.25 mtrs including mumty, parapet, water-tank etc. with floor area; G.F = 174.13 sqm., F.F=S.F=T.F = 327.12 sqm.

Case no. 14

(M/s R.S. Building Developers Pvt. Ltd., Bankura, West Bengal)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Basement+Ground+4 Floors with the total height of 21 mtrs or the height allowed in the local building bye laws of Kolkata/ whichever is power.

Case no. 15

(Smt. Hamida Banu, Bishnupur, West Bengal)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of residential ground floor with the total height of 5.6 mtrs including mumty, parapet, water-tank etc. with floor area G.F = 40.36 sqm.

Case no. 16

(Shri Trigunananda Mukhopadhyaya, Bishnupur, West Bengal)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of residential G+1 floor with the total height of 8.6 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F = 78.19 sqm.

Case no. 17

(Mr. Ashok Gupta, Director, Natraj Property Development Ltd., Lucknow, Uttar Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of commercial building for lower basement+upper basement+G+3 floors with the total height of 17.10 mtrs including mumty, parapet, water-tank etc. with floor area G.F = 738.86 sqm., F.F=S.F=T.F = 701.63 sqm and lower basement =819.18 sqm, Upper basement =739.55 sqm. The NOC is granted subject to the building bye laws of Lucknow Development Authority.

Case no. 18

(Shri Laxman S/o Shri Manglaram, Ajmer, Rajasthan)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of residential G+1 floor with the total height of 9 mtrs including mumty, parapet, water-tank etc.

Case no. 19

(Shri Jagdish Taank S/o Late Shri Nathu Singh, Ajmer, Rajasthan)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for residential/commercial construction of Basement+G+1 floor with the total height of 31'-6" (9.63 mtr) including mumty, parapet, water-tank etc.

Case no. 20

(Smt. Premila Patidar W/o Shri Satish Patidar, Banswara, Rajasthan)

After perusal of the application, it was decided to get comments of SA, ASI, Jodhpur Circle on the proposed site. Then, the case would be taken up for consideration.

Case no. 21

(Smt. Kamla W/o Shri Daya Lal Patidar, Banswara, Rajasthan)

After perusal of the application, it was decided to get comments of SA, ASI, Jodhpur Circle on the proposed site. Then, the case would be taken up for consideration.

Case no. 22

(Smt. Kanchan Gupta & Adarsh Aggarwal, Varanasi, Uttar Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 floors with the total height of 12.45 mtrs including mumty, parapet, water-tank etc. with floor area G.F=428.43 sqm, F.F=S.F = 138.89 sqm.

Case no. 23

(Shri Deepak Gupta & Smt. Deepa Gupta, Varanasi, Uttar Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Art Gallery/Guest house for Basement+G.F with the total height of 6.44 mtrs including mumty, parapet, water-tank etc. with floor area; basement= G.F= 428.43 sqm.

Case no. 24

(Shri Nemi Chandra Jain S/o Shri Ramjidas Jain, Gwalior, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of basement+G+2 floors with the total height of 9.95 mtrs including mumty, parapet, water-tank etc. with floor area G.F= 48.07 sqm, F.F=S.F =55.55 sqm with basement area= 34.94 sqm & depth = 2.50 mtrs.

Case no. 25

(Smt. Kanti Devi W/o Shri K.C. Jain, Gwalior, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of hospital for Basement+GF+3 floors with the total height of 12 mtrs including mumty, parapet, water-tank etc. with floor area; G.F=F.F=S.F=T.F = 154.25 sqm. and basement area= 154.25 sqm. The NOC is subject to application following the approved norms for setting up of a hospital.

Case no. 26

(Smt. Lata Jaiswal, Dhar, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.50 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F = 142.00 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs. 20,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI.

Case no. 27

(Shri Kailash Verma S/o Shri Murari Lal Verma, Katni, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.01 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F = 17.22 sqm.

Case no. 28

(Smt. Suchita Saxena W/o Shri Roshan Saxena, Khandwa, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 floors with the total height of 10.80 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F = 68.58 sqm, S.F= 47.62 sqm.

Case no. 29

(Shri Dillip Kumar Satapathy & Smt. Tapaswini Satapathy, Khurda, Odisha)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+G+1 floor with the total height of 8.40 mtrs including mumty, parapet, water-tank etc. with floor area; G.F=F.F = 167.52 sqm and basement area = 167.52 sqm.

Case no. 30

(Mr. Shakkir & Ranshi, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.25 mtrs including mumty, parapet, water-tank etc. with floor area 178.75 sqm. The applicant may be advised to incorporate sloping tiled roof in the construction.

Case no. 31

(Mr. Gopi, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 6.75 mtrs including mumty, parapet, water-tank etc. with floor area 170.94 sqm. The applicant may be advised to incorporate sloping tiled roof in the construction.

Case no. 32

(Mrs. Haleema, Wayanad, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 8.05 mtrs including mumty, parapet, water-tank etc. with floor area 109.60 sqm.

Case no. 33

(Mr. Ajayan, K.G, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.05 mtrs including mumty, parapet, water-tank etc. with floor area 89.83 sqm. The applicant may be advised to incorporate sloping tiled roof in the construction.

Case no. 34

(Shri Rajan. M, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for extension of first floor over existing building with the total height upto 7.50 mtrs including mumty, parapet, water-tank etc. with floor area 124.26 sqm. The applicant may be advised to incorporate with sloping tiled roof in the construction.

Case no. 35

(Mr. A.K. Abdul Rahim, Wayanad, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 Floor with stair cabin with the total height of 9.87 mtrs including mumty, parapet, water-tank etc. with floor area 367.20 sqm.

Case no. 36

(Mr. Sukumaran, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for extension on existing GF+1 building with the total height of the building restricted to 10.04 mtrs including mumty, parapet, water-tank etc. with floor area 109.80 sqm.

Case no. 37

(Shri Jayan. C.P, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for extension on existing Ground Floor with the total height of 4.10 mtrs including mumty, parapet, water-tank etc. with floor area 46.69 sqm.

Case no. 38

(Mrs. K. Chandramathy, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.15 mtrs including mumty, parapet, water-tank etc. with floor area 158.21 sqm.

Case no. 39

(Mr. Musthafa. P.V, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with stair room with the total height of 5.75 mtrs including mumty, parapet, water-tank etc. with floor area 103.12 sqm. The applicant may be advised to incorporate with sloping tiled roof in the construction.

Case no. 40

(Shri Christopher John, Kollam, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.15 mtrs including mumty, parapet, water-tank etc. with floor area 77.74 sqm. The applicant may be advised to incorporate with sloping tiled roof in the construction.

Case no. 41

(Rev. Jacob Paul, Palakkad, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for extension of Ground Floor with the total height of the building to be restricted to 15 mtrs including mumty, parapet, water-tank etc.

Case no. 42

(Mrs. Vidya Suneesh, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.11 mtrs including mumty, parapet, water-tank etc. with floor area 210.80 sqm.

Case no. 43

(Mrs. Rajeswary Venugopal, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for extension of Ground Floor with the total height of the building to be restricted to 4.40 mtrs including mumty, parapet, water-tank etc. with proposed floor area 49.59 sqm. The applicant may be advised to incorporate sloping tiled roof in the construction.

Case no. 44

(Mr. Mohanan & Santha, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for extension of Ground Floor with the total height of the building to be restricted to 4.00 mtrs including mumty, parapet, water-tank etc. with the proposed floor area 9 sqm.

Case no. 45

(Mr. P. Haridas, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1+truss with the total height of 9.97 mtrs including mumty, parapet, water-tank etc. with floor area 176.54 sqm and truss work= 79.52 sqm.

Case no. 46

(Shri A.P. Hamza, Kannur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 floors with the total height of 10.80 mtrs including mumty, parapet, water-tank etc. with floor area 121.17 sqm. The applicant may be advised to incorporate with sloping tiled roof in the construction.

Case no. 47

(Mrs. Ramani V.S, Wayanad, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 7.15 mtrs including mumty, parapet, water-tank etc. with floor area= 40.41 sqm.

Case no. 48

(Mrs. Santha, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 Floor with the total height of 7.95 mtrs including mumty, parapet, water-tank etc. with floor area 126.52 sqm. The applicant may be advised to incorporate with sloping tiled roof in the construction.

Case no. 49

(Mr. T.V. Aliyas, Wayanad, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 Floors with the total height of 10 mtrs including mumty, parapet, water-tank etc. with floor area 2000.27 sqm.

Case no. 50

(Mr. Muhammed, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 Floor with the total height of 7.10 mtrs including mumty, parapet, water-tank etc. with floor area 181.35 sqm.

Case no. 51

(Mr. Gafoor, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 Floor with the total height of 7.55 mtrs including mumty, parapet, water-tank etc. with floor area 523.95 sqm. The applicant may be advised to incorporate with sloping tiled roof in the construction.

Case no. 52

(Mrs. Najiya, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 Floor with the total height of 7.45 mtrs including mumty, parapet, water-tank etc. with floor area 249.10 sqm. The applicant may be advised to incorporate with sloping tiled roof in the construction.

Case no. 53

(Mr. Soans, Ernakulam, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for extension of FF over existing GF with the total building height of 6.90 mtrs including mumty, parapet, water-tank etc. with floor area 51.72 sqm.

Case no. 54

(Mr. Manoj K.B, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 Floor with the total height of 7.15 mtrs including mumty, parapet, water-tank etc. with floor area 171.60 sqm. The applicant may be advised to incorporate with sloping tiled roof in the construction.

Case no. 55

(Shri Chaganlal Gopalji Vayeda Charitable Trust, Dwarka, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for repair, renovation and construction of RCC Slab on existing Ground Floor with the total height of the building to be restricted to 6.50 mtrs including mumty, parapet, water-tank etc. with built up area 32.44 sqm.

Case no. 56

(Smt. Nirupama B. Jain, Ahmedabad, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 Floors with the total height of 14.06 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F = SF= 97.27 sqm.

Case no. 57

(The Estate Officer, Ahmedabad Municipal Corporation, Ahmedabad, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 Floor with the total height of 8.73 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F= 77.48 sqm.

Case no. 58

(Smt. Kalindiben Natwargopalji Goswami, Dwarka, Gujarat)

After perusal of the application, it was decided to get the comments of SA, ASI, Vadodara on the proposed site and also to re-verify the distance from the protected limit in this case. Thereafter, the case would be considered again.

Case no. 59

(Shri Mustufabhai Yusufbhai Vohra, Ahmedabad)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+4 Floors with the total height of 20.35 mtrs including mumty, parapet, water-tank etc. with floor area GF=FF=SF=TF=FF= 225.59 sqm.

Case no. 60

(Shri Ishwarbhai Punambhai Vankar, Kheda, Gujarat)

After perusal of the application, it was decided to get the copy of reply against the show cause notice issued to the applicant by SA, ASI, Vadodara in this case. Thereafter, the case would be considered again.

Case no. 61

(Shri Nitinkumar Ramanlal Patel (POAH) of Shri Maheshbhai Bhulabhai Patel, Ahmedabad, Gujarat)

After perusal of the application, it was decided to get the copy of reply against the show cause notice issued to the applicant by SA, ASI, Vadodara in this case. Thereafter, the case would be considered again.

Case no. 62

(Shri Jagdish Damodar Mavani, Dwarka, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+3 Floors with the total height of 14.55 mtrs including mumty, parapet, water-tank etc. with floor area G.F=209.95 sqm, F.F= 209.85 sqm, S.F =209.95 sqm, T.F= 122.95 sqm.

Case no. 63

(Mr. Vilas Kashinath Patil & others, Dhule, Maharashtra)

After perusal of the application, it was decided to get the comments of SA, ASI, Maharashtra on the proposed site and also to re-verify the distance from the protected limit in this case. The applicant may be advised to send a detailed site plan of the project. Thereafter, the case would be considered again.

Case no. 64

(Mrs. Vanmala S. Sanghvi, Pune, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of parking+4 floors with the total height of 19.28 mtrs including mumty, parapet, water-tank etc. with floor area; Parking=F.F=S.F=T.F=F.F= 130.91 sqm with lift pit=1.50 mtrs.

Case no. 65

(Mr. Paresh Madhulkar Kalekar, Solapur, Maharashtra)

After perusal of the application, it was decided to ask the applicant to submit a revised building plan upto the height of 18 mtrs including mumty parapet, water-tank. Thereafter, the case would be taken up for consideration.

Case no. 66

(Mr. Ramachandra Hari Teli, Satara, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 floors with the total height of 12.80 mtrs including mumty, parapet, water-tank etc. with floor area; G.F= 91.91 sqm, F.F=S.F= 78.77 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs. 20,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI.

Case no. 67

(Smt. Manda Rajendra Shende BPL Card Holder, Ahmednagar, Mahrashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of ground floor with the total height of 5.99 mtrs including mumty, parapet, water-tank etc. with floor area; G.F= 22.40 sqm.

Case no. 68

(Mr. Sampat Kashinath Dalave, Satara, Mahrashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 9.40 mtrs including mumty, parapet, water-tank etc. with floor area 120.18 sqm.

Case no. 69

(Mr. Jagannath Tukaram Dalve & Mr. Vitthal Tukaram Dalve, Satara, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 09.10 mtrs including mumty, parapet, water-tank etc. with floor area; G.F= 68.37 sqm, F.F= 68.37 sqm.

Case no. 70

(Mrs. Rajani Purshottam Deshpande, Satara, Mahrashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.20 mtrs including mumty, parapet, water-tank etc. with floor area; G.F= 15.28 sqm, F.F=13.44 sqm.

Case no. 71

(Mrs. Chaya Kamlakar Chapekar, Solapur, Maharashtra)

After perusal of the application, it was decided to ask the applicant to submit a revised building plan upto the height of 18 mtrs including mumty parapet, water-tank. Thereafter, the case would be taken up for consideration.

Case no. 72

(Mr. Jalinder Mansing Balgude & Mr. Anil Sadashiv Taware, Satara, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of compound wall with the total height of 2.25 mtrs including mumty, parapet, water-tank etc.

Case no. 73

(Shri Mohammad sahib Kadersaheb Momin and others, Solapur, Maharashtra)

After perusal of the application and revised plan, it was decided to recommend grant of NOC in this case for construction of Basement +UGF+ 4 floors with the total height of 17.97 mtrs including mumty, parapet, water-tank etc. with floor area GF=F.F =68.35 sqm., S.F=T.F= 52.76 sqm, F.F= 26.80 sqm. The applicant may be advised that rest of the conditions as approved earlier will remain same.

Case no. 74

(Mr. Jagnnath Ramchandra Teli, Satara, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 floors with the total height of 14.35 mtrs including mumty, parapet, water-tank etc. with floor area; G.F= 23.86 sqm, F.F=S.F= 28.19 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs.10,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI.

Case no. 75

(Mr. Madhukar Ramchandra Petkar, Satara, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+1 floor with the total height of 8.40 mtrs including mumty, parapet, water-tank etc. with floor area; G.F= 27.52 sft, F.F= 26.08 sft.

Case no. 76

(Mr. Sunil Narsing Jadhav, Ahmednagar, Maharashtra)

After perusal of the application, it was decided to ask the applicant to submit a revised building plan upto the height of 18 mtrs including mumty parapet, water-tank. Thereafter, the case would be taken up for consideration.

Case no. 77

(Mr. S.V. Sugumaran, Puducherry U.T)

After perusal of the application, it was decided to ask the following information:

1. Distance re-verification to be done by ASI from the protected limit.
2. Comments/views of ASI on the proposed site of construction alongwith the desirability report on the site.

Case no. 78

(Shri Uttam Chand, Mandya, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floors with the total height of 8.50 mtrs including mumty, parapet, water-tank etc. with built up area G.F= F.F= 54.24 sqm.

Case no. 79

(Shri Mangal Chand, Mandya, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floors with the total height of 8.50 mtrs including mumty, parapet, water-tank etc. with built up area; G.F=F.F= 38.84 sqm.

Case no. 80

(Shri Madeppa S/o Mailareppa Madival, Gulbarga, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of F.F. over existing G.F with the total building height of 7.67 mtrs including mumty, parapet, water-tank etc. with proposed floor area F.F= 37.62 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs.10,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI.

Case no. 81

(Shri Sunil S/o Bhimrao Kulkarni, Bidar, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.90 mtrs including mumty, parapet, water-tank etc. with floor area; G.F=F.F= 69.06 sqm.

Case no. 82

(Shri Muralidhar Santappa Prabhu, Uttar Kannada, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G.F/parking+1 floor with the total height of 9.40 mtrs including mumty, parapet, water-tank etc. with floor area G.F=59.61 sqm., F.F= 126.76 sqm, Parking area=63.05 sqm.

Case no. 83

(Smt. Saroja Prakash Singh, Haveri, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of ground floor with the total height of 4.42 mtrs including mumty, parapet, water-tank etc. with floor area- G.F= 110.58 sqm.

Case no. 84

(Shri H. Sekhappa, Bellary, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.5 mtrs including mumty, parapet, water-tank etc. with floor area; G.F=F.F= 63 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs.10,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI.

Case no. 85

(Smt. Anusuya Bajaj W/o Rameshwarlal Bajaj, Bidar, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 floors with the total height of 11.50 mtrs including mumty, parapet, water-tank etc. with floor area; G.F=92.37 sqm, F.F=S.F = 134.97 sqm.

Case no. 86

(Shri Tejappa C. Sannahalli, Gulbarga, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of FF and SF over existing GF with the total building height of 10.31 mtrs including mumty, parapet, water-tank etc. with proposed floor area F.F=S.F= 74.32 sqm.

Case no. 87

(Shri Satish Kumar, Sri Santosh Kumar, Bidar, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 floors with the total height of 11 mtrs including mumty, parapet, water-tank etc. with floor area G.F= 81.41 sqm, F.F=S.F= 173.86 sqm.

Case no. 88

(Shri Prabath B, South Canara, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.46 mtrs including mumty, parapet, water-tank etc. with floor area; G.F=134.86 sqm, F.F = 125.22 sqm.

Case no. 89

(Shri Rudrashetty B Kalyani, Gulbarga, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of basement(cellar)+G+3 floors with the total building height to be restricted to 12 mtrs including mumty, parapet, water-tank etc. with floor area G.F=224.35 sqm, F.F=S.F= 260.12 sqm, T.F= 168.06 sqm and basement area= 270.43 sqm. and depth upto 2.43 mtr.

Case no. 90

(Shri Anant S/o Bhimrao Deshpande, Bidar, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+G+2 floors with the total height of 14 mtrs including mumty, parapet, water-tank etc. with floor area stilt (parking)=G.F=F.F=S.F= 304.63 sqm.

Case no. 91

(Shri Nirmal Jain, Udupi, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.30 mtrs including mumty, parapet, water-tank etc. with floor area G.F=159.28 sqm, F.F= 132.80 sqm. The applicant may be advised to incorporate with sloping roof.

Case no. 92

(Smt. Shakuntala K Shanbagh, Smt. Nayana K Shanbhag and Shri Kiran K Shanbhag, Uttar Kannada, Karnataka)

After perusal of the application, it was decided to ask the applicant to submit a revised building plan upto a height of 8 mtr (including mumty, parapet, water-tank etc). The applicant may advised to incorporate Mangalore tiles sloping roof in the construction work. Thereafter, the case would be considered again.

Case no. 93

(Shri Aslam pasha, Chamarajanagara, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of ground floor with the total height of 4.35 mtrs including mumty, parapet, water-tank etc. with floor area G.F=38.40 sqm.

Case no. 94

(Shri A.Sridharan, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to get a copy of reply of show cause notice issued to the applicant by SA, ASI Chennai. Thereafter, the case would be considered again.

Case no. 95

(Shri N.Murugan, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.22 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F= 107.86 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs.10,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI.

Case no. 96

(Smt. V. Raman, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 8.17 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F= 94.36 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs.20,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI.

Case no. 97

(Shri C. Vishwanathan, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of ground floor with the total height of 4.37 mtrs including mumty, parapet, water-tank etc. with floor area G.F=120.77 sqm.

Case no. 98

(Shri A.V. Venkadachalam, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+1 floor with the total height of 9.44 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F= 286.24 sqm.

Case no. 99

(Shri V. Ravichandran, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of ground floor with the total height of 4.36 mtrs including mumty, parapet, water-tank etc. with floor area G.F=45.89 sqm.

Case no. 100

(Shri N. Subramani, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.52 mtrs including mumty, parapet, water-tank etc. with floor area; G.F=F.F= 97.08 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs.20,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI.

Case no. 101

(Shri M. Senthil, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.22 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F= 149.29 sqm.

Case no. 102

(Shri T. Umapathy, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.22 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F= 72.74 sqm.

Case no. 103

(Shri U. Mohammad Ibrahim, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.52 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F= 120.77 sqm.

Case no. 104

(Shri C. Alexander Pauldoss, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+2 floor with the total height of 12.47 mtrs including mumty, parapet, water-tank etc. with floor area Stilt/GF= 153.29 sqm, Staircase/lift area= 32.05 sqm, F.F=153.29 sqm, S.F=86.40 sqm.

Case no. 105

(Smt. D. Smitha, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 8.93 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F= 136.75 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs.20,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI

Case no. 106

(Smt. E. Nagavalli, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.69 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F= 97.95 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs.10,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI

Case no. 107

(Shri E. Perumal, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.36 mtrs including mumty, parapet, water-tank etc. with floor area; G.F=46.07 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs.10,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI

Case no. 108

(Smt. P. Mythili, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.36 mtrs including mumty, parapet, water-tank etc. with floor area; G.F= 64.38 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs.10, 000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI

Case no. 109

(Shri G. Venkatesan, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 7.53 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F = 244.05 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs. 50,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI.

Case no. 110

(Shri Raja James, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF/Stilt+2 floors with the total height of 12.84 mtrs including mumty, parapet, water-tank etc. with floor area; G.F(stilt)= 236.05 sqm, F.F =S.F = 159.93 sqm.

Case no. 111

(Smt. C. Maria Rose, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 10.35 mtrs including mumty, parapet, water-tank etc. with floor area G.F=95.72 sqm, F.F= 99.25 sqm, headroom= 17 sqm.

The NOC is granted subject to the following conditions:

1. A Regularization Charge (RC) of Rs. 20,000/- should be imposed on the applicant for construction without prior sanction. This amount should be utilized for providing facilities/amenities at the protected monument under overall guidance of ASI.

Case no. 112

(Smt. C. Mahalakshmi, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 8.18 mtrs including mumty, parapet, water-tank etc. with floor area; G.F= 126.16 sqm, F.F= 147.43 sqm.

Case no. 113

(Shri M.V.R.K. Aapparao & Smt. M.V. Padmasri, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+G+3 floors with the total height of the building to be restricted to 20 mtrs including mumty, parapet, water-tank etc. The applicant may be advised to submit a revised building plan.

Case no. 114

(Smt. R. Kalpana, Smt. B. Chithra, Smt. B. Deepa, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+2 floors with the total height of 11.89 mtrs including mumty, parapet, water-tank etc. with floor area G.F=10.81 sqm, F.F=S.F = 153.87 sqm.

Case no. 115

(Shri V.B. Sriram, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+1 floor with the total height of 12.48 mtrs including mumty, parapet, water-tank etc. with floor area G.F=F.F= 209.66 sqm, Liftpit=3.62 sqm, Headroom= 19.50 sqm.

Case no. 116

(Smt. K. Kavitha, Kanchipuram, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt/G+2 floors with the total height of 12.65 mtrs including mumty, parapet, water-tank etc. with floor area; Stilt= 46.84 sqm, G.F= 57.90 sqm, F.F= 113.94 sqm, S.F= 63.29 sqm, Headroom= 11.06 sqm.

Fresh Cases:

Case no. 1

(Shri G.R. Ambwani, C-34, Mayfair Garden, New Delhi)

After perusal of the application, it was decided to recommend grant of NOC in this case for additional construction on Ground Floor, First Floor & Second Floor and construction of Third Floor with the total height of building restricted to 18 mtrs. including mumty, parapet, water-tank etc. with total floor area of GF=214.57 sqm., FF=195.99 sqm., SF=168.79 sqm., TF=66.09 sqm. & Basement=128.65 sqm.with depth -1.9 mtrs.

Case no. 2

(Smt. Guljeet Bawa, D-156, Saket, New Delhi)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Basement+Stilt+4 floors with the total height of 18 mtrs. including mumty, parapet, water-tank etc. with building height not to exceed 15 mtrs. and 3 mtrs. for roof top structures with floor area of Stilt=GF=156.75 sqm., FF=SF=TF=154.44 sqm. & basement=101.82 sqm. with depth -3.0 mtrs.

Case no. 3

(Smt. Sharda Devi and Shri Suresh Chandra Singhal, B-3/23, Safdarjung Enclave, Delhi)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Basement+Stilt+4 floors with the total height of 18 mtrs. including mumty, parapet, water-tank etc. with building height not to exceed 15 mtrs. and 3 mtrs. for roof top structures with floor area of Stilt=GF=125.34 sqm., FF=SF=TF=123.12 sqm. & basement=75.15 sqm. with depth -3.20 mtrs.

Case no. 4

(Shri Ranjan Samtani, A-26, Gulmohar Park, New Delhi)

After perusal of the application, it was decided to recommend grant of NOC in this case for re-construction of Basement+Stilt+4 floors with the total height of 18 mtrs. including mumty, parapet, water-tank etc. with building height not to exceed 15 mtrs. and 3 mtrs. for roof top structures with floor area of Stilt=GF=214.15 sqm., FF=SF=TF=211.59 sqm. & basement=214.15 sqm. with depth -3.60 mtrs.

Case no. 5

(Smt. Vimla Devi, Plot No. 110, Block No. 25, Shakti Nagar, New Delhi)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Stilt+4 floors with the total height of 17.19 mtrs. including mumty, parapet, water-tank etc. with floor area of Stilt=GF=139.94 sqm. & FF=SF=TF=137.39 sqm.

Case no. 6

(Shri Anil Malhotra and Shri Atul Kumar Malhotra, C-5/6, Rana Pratap Bagh, New Delhi)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Basement+Stilt+4 floors with the total height of 18 mtrs. including mumty, parapet, water-tank etc. with floor area of Stilt=GF=141.64 sqm., FF=SF=TF=139.39 sqm. & basement=83.51 sqm. with depth -2.89 mtrs.

Case no. 7

(Smt. Veena Bhola, Smt. Khushboo Bhola, Smt. Bahar Bhola and Shri Shagun Bhola, 141, Uday Park (Masjid Moth Ext.), New Delhi)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Stilt+4 floors with the total height of 18 mtrs. including mumty, parapet, water-tank etc. with building height not to exceed 15 mtrs. and 3 mtrs. for roof top structures with floor area of Stilt=GF=FF=SF=TF=134.89 sqm.

Case no. 8

(Shri Gulshan Sharma S/o Shri Shamlal Sharma, Haryana)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground+1 floor with the total height of 20 feet (6.09mtr)excluding mumty, parapet, water-tank etc. with floor area of GF=840 sqft. & FF=472 sqft.

Case no. 9

(Shrimati Roshni Devi, Haryana)

After perusal of the application, it was decided to ask ASI to submit report on archaeological potential of the Site, Prachin Agroha Site and desirability of issue the NOC.

Case no. 10

(Shri Vinod Dehraj S/o Himmat Singh Pradhan, Haryana)

After perusal of the application, it was decided to ask ASI to submit report on archaeological potential of the Site, Khokrakot Mound and desirability of issue the NOC .

Case no. 11

(Smt. Seeta Rawat w/o Shri Khem Singh Rawat, Uttarakhand)

After perusal of the application, it was observed that the applicant had already constructed the residential building in the prohibited area of the nearby protected monument, Kalinga Smarak. Therefore, it was decided to ask ASI to take necessary action as per law.

Case no. 12

(Shri Rajib Chanda, Assam)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground+2 floors with the total height of 14.02 mtrs. excluding mumty, parapet, water-tank etc. with floor area of GF=225.28 sqm. & FF=SF=234.57 sqm.

Case no. 13

(Md. Syed Somsul Islam, Assam)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground+1 floor with the total height of 10.66 mtrs. excluding mumty, parapet, water-tank etc. with floor area of GF=FF=121.23 sqm.

Case no. 14

(Wing Commander (retd.) Shri Mahendra Kumar Gupta S/o Late Shri B.D. Gupta, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Basement+GF+2 floors with the total height of 11.40 mtrs. including mumty, parapet, water-tank etc. with floor area of Basement=99.98 sqm. & GF=FF=SF=74.27 sqm.

Case no. 15

(Shri Suresh Chandra Bhavsar, Chairman, Bhavsar Kshatriya Samaj, Madhya Pradesh)

After perusal of the application, members observed that the construction has already taken place without prior approval and show cause notice was issued to the applicant. Therefore, it was decided to ask the CA to submit the reply of the applicant to the show cause notice and also ask ASI to submit views/comments on the proposal.

Case no. 16

(Shri Surendra Jain, Mahamantri, Shri Digambar Jain Atishaya Kshetra Shanti Nagar Vikas Samiti, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 17

(Shri Sunil Giri S/o Shri Munna Giri, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 18

(Shri Hemant S/o Shri Ramji Lala Kaushik, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 19

(Smt. Tulsa Bai W/o Shri Jagdish Puri, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 20

(Shri Santosh Singh S/o Shri Deep Narayan, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 21

(Shri Shair Singh S/o Kriparam Silawat, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 22

(Shri Hari Singh S/o Shri Paramsukh Keer, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 23

(Shri Krishna Bai W/o late Shri Kanhaiya lal, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 24

(Shri Ram Singh S/o Puran Singh Silawat, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 25

(Shri Jagdish Puri S/o Shri Ganesh Puri, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 26

(Shri Prem Narayan S/o Jamidar, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 27

(Smt. Mithlesh Goswami W/o Late Shri Rajesh Giri, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 28

(Shri Anup Giri S/o Shri Pawan Giri, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 29

(Smt. Sangita Bai W/o Late Phool Singh, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 30

(Shri Prashant Giri S/o Kamlesh Giri, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 31

(Shri Lal Giri S/o Shri Balai Giri, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 32

(Shri Pankaj S/o Shri Babu Giri, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 33

(Shri Sudhir Giri S/o Shri Hari Giri, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 34

(Shri Ashok Kumar S/o Shri Roopchand Jain, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 35

(Shri Feran Singh S/o Dharopi Lal, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 36

(Shri Bhagwan Singh S/o Shri Sardar Singh, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with built up area of GF=75.48 sqmt.

Case no. 37

(Shri Sunil Giri, Ritesh Giri & Smt. Vandana Giri, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Ground Floor with the total height of 5.73 mtrs. including mumty, parapet, water-tank etc. with

[In all these cases no. 16 to 37, a uniform design and proper layout should be given by ASI]